Vol. 92, Sect. 4, 1955

COELENTERATA

COMPILED BY

H. DIGHTON THOMAS, M.A., Ph.D.

LONDON
PUBLISHED BY
THE ZOOLOGICAL SOCIETY OF LONDON

PRICE FOUR SHILLINGS
January, 1958

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz. :d. Comprehensive Zoology 1. 3 0 Protozoa 10 0 3. Porifera 2 0 4. Coelenterata 0 5. Echinoderma 0 Vermes 6. 10 0 7. Brachiopoda 0 8. Bryozoa 6 9. Mollusca 10 0 10. Crustacea 6 6 11. Trilobita 5 0 12. Arachnida 10 0 *13. Insecta 50 0 14. Protochordata 0 15. Pisces 8 6 16A. Amphibia 6 0 16B. Reptilia 6 17. Aves 10 0 18. Mammalia 10 0 19. List of New Genera and Subgenera 0

^{*} Obtainable only from the Commonwealth Institute of Entomology, 56, Queen's Gate, London, S.W.7.

4. COELENTERATA

COMPILED BY

H. DIGHTON THOMAS, M.A., Ph.D.

CONTENTS

1
-
14
20

I.—TITLES

Anon. [Velella spirans off Scotland.] Scot. Nat. **66** 2 1954 : 93.

Abeloos, M. Sur la régénération de l'*Actinia equina* L. C.R. Acad. Sci. Paris **240** 23 1955 : 2261–2263.

[Aizenberg, D. E. & Brashnikova, N. E.] [On the Namurian deposits of the Donetz Basin.] Bull. Soc. Nat. Moscou Geol. 30 1 1955: 37–47. [Russian only—lists.]

Alloiteau, J. Polypiers du gargasien aragonais. Paléontologie. An. Esc. Perit. Agric. Barcelona 6 1947: 187–243 pls. 1–3 text-figs. 1–4. [See Zool. Rec. 85 (for 1948) entry 3, where the date was given as ? 1948.]

Alloiteau, J. (1). Madréporaires jurassiques, in Basse, E., and others, Fossiles du Jurassique supérieur et des "Grès de Nubie" de la région de Sana (Yémen) (récoltes H. Karrenberg). Bull. Soc. géol. Fr. 6 4 7–9 (for 1954) 1955: 674–680 pl. 28.

Angelescu, V. see Popovici, Z.

Atanasiu, L. & Semaka, A. Contributions à la connaissance de la faune du calcaire barrémien de Cernavoda-Saligny. Comun. Acad. Republ. Pop. rom. 1 3 1951: 251–255 pls. 1–3. [Rumanian with French résumé.]

Atoda, K. Investigation of the fauna in Tashiro Island, Ojika-gun, Miyagi Prefecture. Res. Bull. Saito Ho-on Kai Mus. No. 23 1954: 16–18. [Japanese with English summary.]

Atoda, K. (1). The development of the sea anemone, *Diadumene luciae*. II. The individuals originated from the fragments without stripes by artificial pedal laceration. Sci. Rep. Tôhoku Univ. (4) **20** 4 1954: 362–369 text-figs. 1–29.

Atoda, K. (2). The development of the sea anemone, *Diadumene luciae*. III. The individuals which originate from the fragments with one stripe by pedal laceration. Sci. Rep. Töhoku Univ. (4) **21** 1 1955: 89–95 text-figs. 1–25.

DACE

Aurich, H. & Werner, B. Über die Entwicklung des Polypen von Ectopleura dumortieri van Beneden und die Verbreitung der planktischen Stadien in der südlichen Nordsee (Athecatae-Anthomedusae). Helgoländ. wiss. Meeresunters. 5 2 1955: 234–250 text-figs. 1–8.

Austin, T. S. see Sargent, M. C.

Basse, É. see Alloiteau, J. (1).

Bataller, J. R. Segundò suplemento a "La fauna coral 'lina del Cretàcic de Catalunya i regions limítrofes." An. Esc. Perit. Agric. Barcelona 5 1945 : 3–58 text-figs. [See Zool. Rec. 85 (for 1948) entry 14, where the date was given as ? 1946.]

Bayer, F. M. Contributions to the nomenclature, systematics, and morphology of the Octocorallia. Proc. U.S. nat. Mus. **105** 1955 : 207–220 pls. 1–8.

Bayer, F. M. (1). Remarkably preserved fossil sea-pens and their recent counterparts. J. Wash. Acad. Sci. **45** 9 1955: 294–300 text-figs. 1, 2.

[Belskaya, T. N. & Ivaniya, V. A.] [Coral-stromatoporoid bioherm in the Upper Devonian of the river Tomi.] C.R. Acad. Sci. Moscou 100 3 1955: 533–536 text-figs. 1–4. [Russian only.]

Beth, K. see Nümann, W.

Blackburn, M. Trachymedusae and Narcomedusae of South-east Australian Waters. Aust. J. mar. freshw. Res. 6 3 1955: 410-428 text-fig.

Bonner, J. T. A note concerning the distribution of polysaccharides in the early development of the hydromedusan *Phialidium gregarium*. Biol. Bull. Woods Hole **108** 1 1955: 18–20 text-fig. 1.

Boschma, H. The type specimen of Stylaster gemmascens (Esper, 1794). Proc. Akad. Wet. Amst. **58C** 1 1955: 22–31 pls. 1, 2 text-figs. 1–4.

Boschma, H. (1). The specific characters of the coral *Stylaster roseus*. Deep-Sea Res. **3** Suppl. 1955: 134–138 text-figs. 1, 2.

Bouillon, J. Le cycle biologique de *Limnocnida tanganyicae*. Bull. Acad. Sci. colon. N.S. 1 2 1955: 229-246 pls. 1, 2 text-figs. 1-10.

Bowen, V. T. see Goreau, T. F.

[Brashnikova, N. E.] see [Aizenberg, D. E.]

Brien, P. Signification des cellules interstitielles des Hydres. C.R. Ass. franç Av. Sci. **72** 1953 : 370–371.

Brien, P. (1). Rapport sur le travail de M. J. Bouillon intitulé: "Le cycle biologique de *Limnocnida tanganyicae*." Bull. Acad. Sci. colon. N.S. 1 2 1955: 226–228.

Brien, P. & **Reniers-Decoen,** M. La signification des cellules interstitielles des hydres d'eau douce et le problème de la réserve embryonnaire. Bull. biol. **89** 3 1955 : 258–325 pls. 9, 10 text-figs. 1–35 + 2.

Broch, H. Octocorallia from the Northern Ocean collected by the Soviet expeditions in the years 1929–1935. Trav. Inst. zool. Acad. Sci. U.R.S.S. 18 1955: 26–35 text-figs. 1, 2. [Russian only.]

Brunn, J. H. see Chevalier, J.-P.

[Bublichenko, N. L., Bulvanker, E. Z. & Komar, V. A.] [On the discovery of Calceola sandalina Lamark in the Rudni Altai.] Bull. Soc. Nat. Moscou Geol. 30 4 1955: 75–77. [Russian only.]

Buchanan, J. B. The Pennatulacea of the Gold Coast. Rev. Zool. Bot. afr. **51** 1–2 1955: 388–390.

Buehler, E. J. The Morphology and Taxonomy of the Halysitidae. Bull. Peabody Mus. **8** 1955: 1–79 pls. 1–12 text-figs. 1–3.

Bulman, O. M. B. Graptolithina with sections on Enteropneusta and Pterobranchia, in R. C. Moore, Treatise on Invertebrate Paleontology **V** 1955: V1–V101 text-figs. 1–72.

[Bulvanker, E. Z.] see [Bublichenko, N. L.]

Campbell, A. see Muller, S. W.

Campbell, J. L. The Jellyfish Velella spirans at the Isle of Canna. Scot. Nat. 66 2 1954: 93.

Carlgren, O. Actinaria. Rep. Swedish Deep-Sea Exped. 1947–8 **2** 1 1951: 99–104 text-figs. 1–5.

Carman, J. E. Revision of the Chillicothe Test-Core Section. Ohio J. Sci. **55** 2 1955: 65–72 text-figs. 1–8.

Carter, G. S. Essay Review: The Turbellarian Theory of the Cnidaria. Sci. Progr. 37 145 1949: 136–139.

Carter, G. S. (1). Hadži's Interpretations of Animal Phylogeny. Syst. Zool. 3 (4) 1954: 162–167, 173.

Cate, J. ten see ten Cate, J.

Chabouis, F. see Chabouis, L.

Chabouis, L. & Chabouis, F. Petite Histoire Naturelle des établissements français de l'Océanie, Saint-Amand-Montrond 2 1954: 1–137 figs. [Coelenterates, pp. 127–131.]

Chaput, G. Contribution à l'étude de la faune pliocène de la Péninsule de Cnide (Turquie). Bull. sci. Bourgoyne **15** 1955 : 39–51.

[Chekhovich, V. D.] [On the problem of the stratigraphical importance of the Silurian Tabulata and Heliolitidae of Central Asia.] C.R. Acad. Sci. Moscou 100 3 1955: 555–558. [Russian only.]

Chevalier, J.-P. Polypiers, in Brunn, J. H., Chevalier, J. P. & Marie, P. Quelques formes nouvelles de Polypiers et de Foraminifères de l'Oligocène et du Miocène du NW de la Grèce. Bull. Soc. géol. Fr. 6 5 1–3 1955 : 195–202 pls. 8–10.

Chevalier, J.-.P. (1). Les polypiers anthozoaires du Stampien de Gaas (Landes). Bull. Soc. Hist. nat. Toulouse 90 3-4 1955 : 375-410 pls. 1-3 text-figs. 1-13.

Clark, T. H. & Strachan, I. Log of the Senigon well, Southern Quebec. Bull. geol. Soc. Amer. 66 1955: 685–698 text-figs. 1–3.

Coomans, H. E. see ten Cate, J.

Crook, K. A. W. *Mazaphyllum*, a new cystiphyllid coral from the Silurian of New South Wales. J. Paleont. **29** 6 1955: 1052–1056 text-figs. 1–3.

Crowell, S. & Darnell, R. M. Occurrence and ecology of the hydroid *Bimeria franciscana* in Lake Pontchartrain, Louisiana. Ecology **36** 3 1955: 516–518 text-fig. (map).

Crowell, S. & Lytle, C. F. The Locomotion of Frustules of *Craspedacusta*, Proc. Ind. Acad. Sci. **64** (for 1954) 1955: 255.

Darnell, R. M. see Crowell, S.

Davenport, D. & Nicol, J. A. C. Luminescence in Hydromedusae. Proc. roy. Soc. 144B 916 1955: 399–411 text-figs. 1–6.

Davis, C. C. Notes on the food of Craspedacusta sowerbii in Crystal Lake, Ravenna, Ohio. Ecology 36 2 1955: 364–366.

Dawydoff, C. Contribution à l'étude des invertébrés de la faune marine benthique de l'Indochine. Bull. biol. Suppl. No. 37 1955 : 1–158 2 maps. (Coelenterates pp. 52–78.)

Deckart, M. & **Löfflath,** K. Die Nesselkapseln von *Hydra*. Mikrokosmos **42** 12 1953 : 265–269 text-figs. 1–10.

Decker, C. E. A new Devonian species of *Dictyonema* from Oklahoma. J. Paleont. **29** 4 1955: 699–701 text-figs. 1–3.

Deflandre-Rigaud, M. Sur les sclérites d'Alcyonaires fossiles et leur classification. *Micralcyonarites* manip. nov. du Miocène moyen d'Australie. C.R. Acad. Sci. Paris **241** 19 1955 : 1327–1329 text-figs. 1–16.

Dekeyser, P.-L. A propos d'une Méduse mauritanienne. Notes afr. No. 65 1955 : 28-31 text-figs. 1-3.

Dew, B. & **Wood**, E. J. F. Observations on Periodicity in Marine Invertebrates. Aust. J. mar. freshw. Res. **6** 3 1955: 469–478 text-figs. 1–8.

Dexter, R. W. Fouling organisms attached to the American lobster in Connecticut waters. Ecology **36** 1 1955: 159–160.

Durchon, M. see Lafon, M.

[Einov, O. L.] [On the stratigraphy of the Vizeisk deposits of Upper Bashkiria.] C.R. Acad. Sci. Moscou 103 4 1955: 689–692. [Russian only.]

[Einov, O. L. (1).] [Bashkirian deposits in Upper Bashkiria.] C.R. Acad. Sci. Moscou 104 1 1955: 130–133. [Russian only.]

Eisenack, A. Ein Graptolith aus dem *Beyrichia*–Kalk. Neues Jb. Geol. Paläont. Monats. **1955** B7: 273–276 text-figs. 1–6,

Eisenack, A. (1). Mitteilung über die Aufbewahrung einiger früher von mir beschreibenen Originale und abgebildeten Exemplare von Graptolithen und Retioliten. Neues Jb. Geol. Paläont. Monats. **1955** B7: 277–278.

Farag, I. & Omara, S. On the Occurrence of Marine Middle Jurassic Deposits at Gebel El Minshera (Northern Sinai, Egypt). Bull. Inst. Désert Egypte 5 1 1955: 165–178 text-figs. 1–3 pl.

Fidler, J. H. see Wagstaffe, R.

Fincher, J. A. Notes on the Hydroids of the Mississippi Sound. J. Ala. Acad. Sci. **27** 1955: 91–92.

Fischer-Piette, E. Répartition. Le long des cotes septentrionale de l'Espagne. Des principles espèces peuplant les roches intercotidaux. Ann. Inst. océanogr. Monaco N.S. 31 2 1955: 37–124 text-figs. 1–5. [Zoantharia pp. 84, 85.]

Fitzgerald, J. K. A new tabulate coral from New South Wales. J. Paleont. **29** 6 1955: 1057–1059 text-fig. 1.

Fletcher, H. O. Graptolite Localities of the Snowy Mountains, New South Wales. Rec. Aust. Mus. **23** 5 1955: 229–237 4 maps.

Flügel, H. Neue Graptolithen aus dem Gotlandium der Karnischen Alpen. Carinthia II **143** 2 1953 : 22–26.

Flügel, H. (1). Chaetetes cf. mille-poraceus M.E.H. aus dem Unterkarbon von Trieben (Obersteiermark). Anz. öst. Akad. Wiss. 91 1954: 147–150.

Flügel, H. (2). Zur Paläontologie des anatolischen Paläozoikums. II. Mitteldevonfauna von Yahyalí (NO Ala Dağ, Taurus). Neues Jb. Geol. Paläont. Abh. 101 2 1955 : 267–280 pl. 31.

Flügel, H. (3). Zur Paläontologie des anatolischen Paläozoikums. IV. Permische Korallen aus dem südanatolischen Taurus. Neues Jb. Geol. Paläont. Abh. 101 3 1955: 293–318 pls. 33–35.

Flügel, H. (4). Zur Paläontologie des anatolischen Paläozoikums. V. Graptolithen aus dem Gotlandium des Antitaurus. Neues Jb. Geol. Paläont. Monats. 1955 B11: 478–488 text-fig. 1.

Flügel, H. (5). Geologische Profile aus dem Raum des Hoch-Trötsch. Beiträge zur Kenntnis des Grazer Paläozoikums V. Mitt. Naturwiss. Verein. Steiermark 85 1955: 73–80 pls. 5, 6.

[Fomitchev, V. D.] Coelenterata in [Khalfin, L. L., Atlas of the leading forms of the fossil fauna and flora of Western Siberia] 1 1955: 298–305 pls. 79, 80. [Russian only.]

Fortier, Y. O. see Thorsteinsson, R.

Fritz, M. A. & Howell, B. F. An Upper Cambrian coral from Montana. J. Paleont. 29 1 1955: 181–183 text-figs. 1, 2.

Galloway, J. J. & St. Jean, J., Jnr. The Type of the Stromatoporoid Species Stromatocerium rugosum Hall. Amer. Mus. Novit. No. 1728 1955: 1–11 text-figs. 1–11.

Garner, M. R. The Reoccurrence of the Freshwater Medusa near Richmond, Indiana. Proc. Ind. Acad. Sci. **64** 1955: 257.

Geyer, O. F. Beiträge zur Korallenfauna des Stramberger Tithon. Paläont. Z. **29** 3–4 1955: 177–216 pls. 22–26 text-figs. 1–2.

Geyer, O. F. (1). Korallen-Faunen aus dem Oberen Jura von Portugal. Senckenbergiana Lethaea **35** 5–6 1955: 317–356 pls. 1–3 text-figs. 1–4.

Glinski, A. Cerioide Columnariidae (Tetracoralla) aus dem Eiflium der Eifel und des Bergischen Landes. Senckenbergiana Letheae 36 1–2 1955: 73–114 pls. 1, 2 text-figs. 1–27.

Glumac, S. Contribution à la connaissance du fonctionnement des capsules urticantes de l'Hydre. Influence probable du système nerveux. (Seconde communication.) Bull. Mus. Hist. nat. Serbe 7B 4 1955: 175–179. [Serbian with French résumé.]

Glumac, S. (1). Contribution à la connaissance du fonctionnement des capsules urticantes de l'Hydre. Influence probable du système nerveux. (Troisième communication.) Bull. Mus. Hist. nat. Serbe 7B 4 1955: 181–183. [Serbian with French résumé.]

Glumac, S. (2). La symbiose comme facteur dans la formation des espèces des hydres d'eau douce. Bull. Mus. Hist. nat. Serbe 7B 4 1955: 185–212. [Serbian with French résumé.]

Goreau, J. F. & **Bowen,** V. T. Calcium Uptake by a Coral. Science **122** 3181 1955: 1188–1189.

Gruhl, H. Neue Graptolithenfunde in der Oberlausitz. Abh. Naturkundemus. Görlitz **34** 2 1955 : 189– 191.

Guérin, S. Contribution à l'étude du Lias de Fay (Ain). Sciences de la Terre, Nancy **2** 3 1954 : 3–18 textfigs. 1–2. [Coral, p. 14.]

Gunter, G. Mortality of oysters and abundance of certain associates as related to salinity. Ecology **36** 4 1955: 601–605.

Hadži, J. Die morphologische Bedeutung der Pneumatophore bei Siphonophoren. Razpr. Akad. Ljubljana Cl. 42 1954: 75–138. [Serbian with German summary.]

Hadži, J. (1). Das Verhältnis zwischen dem Scyphopolyp und der Scyphomeduse. Razpr. Akad. Ljubljana Cl. 4 3 1955: 67–124. [Serbian with German summary.]

Hamon, M. Cytochemical Research on Coelenterate Nematocysts. Nature Lond. **176** 4477 1955: 357.

Hamon, M. (1). Recherches histochimiques sur les nématocystes de Coelentérés. Bull. Soc. Hist. nat. Afr. N. **46** 5–6 1955 : 169–179.

Hampton, J. S. An Exposure of Chalk Rock near Westerham, Kent. London Naturalist (for 1954) 1955: 43-46.

Hand, C. The Sea Anemones of Central California. Part I. The Corallimorpharian and Athenarian Anemones. Wasmann J. Biol. 12 3 1954: 345–375 text-figs. 1–7.

Hand, C. (1). The Sea Anemones of Central California. Part II. The Endomyarian and Mesomyarian Anemones. Wasmann J. Biol. 13 1 1955: 37–99 text-figs. 8–24.

Hand, C. (2). The Sea Anemones of Central California. Part III. The Acontiarian Anemones. Wasmann J. Biol. 13 2 1955: 189–251 text-figs. 1–37.

Hand, C. (3). A Study of the Structure, Affinities, and Distribution of *Tetraplatia volitans* Busch (Coelenterata: Hydrozoa: Pteromedusae). Pacif. Sci. 9 3 1955: 332–348 text-figs. 1–8.

Hartman, O. Quantitative survey of the benthos of San Pedro Basin, Southern California. Part I. Preliminary results. Allan Hancock Pacif. Exped. **19** 1 1955: 1–150 9 pls.

Hatai, K. & Hayasaka, S. Significance of the Pleistocene Marine Fauna from the Jizodo Formation, Chiba Prefecture. Sci. Rep. Tokyo Kyoiku Daigaku C4 26 1955: 1–6.

Hawes, F. B. Notes on the variation occurring in *Tubularia larynx* Ellis and Solander. J. mar. Biol. Ass. U.K. **34** 2 1955: 333–346 text-figs. 1–5.

Hayasaka, S. see Hatai, K.

Hemmann, M. Eine neue Fundstelle der Gattung *Linograptus* Frech. Halles. Jahrb. Mitteldeut. Erdgesch. **2** (2) 1955: 108–109 pl. 7.

Hill, D. Ordovician Corals from Ida Bay, Queenstown and Zeehan, Tasmania. Proc. roy. Soc. Tasmania 89 1955: 237–254 pls. 1–3.

Hill, D. (1). Contribution to the Correlation and Fauna of the Permian in Australia and New Zealand. J. geol. Soc. Aust. 2 1955: 83–107 text-figs. 1–5.

Hills, E. S. & Thomas, D. E. Turbidity currents and the graptolitic facies in Victoria. J. geol. Soc. Aust. 1 1954: 119–133 pls. 1–3 text-fig. 1.

Horridge, G. A. The nerves and muscles of medusae. II. Geryonia proboscidalis Eschscholtz. J. exp. Biol. 32 3 1955: 555-568 text-figs. 1-5.

Horridge, G. A. (1). The nerves and muscles of medusae. III. A decrease in the refractory period following repeated stimulation of the muscle of *Rhizostoma pulmo*. J. exp. Biol. 32 4 1955: 636-641 text-figs. 1-4.

Horridge, G. A. (2). The nerves and muscles of medusae. IV. Inhibition in *Aequorea forskalea*. J. exp. Biol. **32** 4 1955: 642-648 text-figs. I-4.

Howell, B. F. see Fritz, M. A.

Hudson, R. G. S. On the Jurassic Stromatoporoids. I. The Type of Stromatopora douvillei Dehorne, pp. 313–317 text-fig. 1. II. Milleporidium and "Stromatopora" from Central Arabia, pp. 317–320. Ann. Mag. nat. Hist. 12 8 1955.

Hudson, R. G. S. (1). On the Jurassic Stromatoporoids. III. Stromatopora arrabidensis Dehorne. Ann. Mag. nat. Hist. 12 **8** 1955: 705–710 text-figs. 1–4.

Huvé, P. Sur des Propagules planctoniques de l'Hydroïde *Halecium pusillum* (Sars). Bull. Inst. océanogr. Monaco No. 1064 1955: 1–12 text-figs. 1–16.

Imbrie, J. see Newell, N. D.

Itô, T. Studies on the reproduction of hydras. VII. Duration and periodicity of sexual reproduction in *Pelmatohydra robusta* Itô. Sci. Rep. Tôhoku Univ. (4) 21 1 1955: 78–88 text-figs. 1–6.

Itô, T. (1). Studies on the Reproduction of Hydras. VIII. Causative Effect of Lowering Temperature on the Sexual Maturity in *Hydra parva* Itô. Bull. mar. biol. Sta. Asamushi 7 2-4 1955: 120-126 text-figs. 1, 2.

[Ivania, V. A.] Order Tetracoralla or Rugosa, in [Khalfin, L. L., Atlas of the leading forms of the fossil fauna and flora of Western Siberia] 1 1955: 219–228 pls. 42–46 text-fig. 187. [Russian only.]

[Ivaniya, V. A.] see [Belskaya, T. N.]

Iyengar, H. D. R. & Venkatesh, K. Occurrence of the Freshwater Medusae, *Limnocnida Indica* Annandale, in Thunga River near Shimoga Town, Mysore State. J. Bombay nat. Hist. Soc. **53** 1 1955: 151.

Jaeger, H. Über die Silur/Devon-Grenze in Thüringen. Geologie 4 4 1955: 416–432 text-figs. 1–4 1 map & tables.

Jeffords, R. M. Septal arrangement and ontogeny in the Porpitid Corals. Paleont. Contr. Univ. Kans. Coel. **Art. 2** 1955: 1–16 pls. 1–3 text-figs. 1–4.

Jeffords, R. M. (1). Mississippian corals from New Mexico and a related Pennsylvanian species. Paleont. Contr. Univ. Kans. Coel. **Art. 3** 1955: 1–12 pls. 1, 2 text-figs. 1–3.

Jones, D. G. see Owen, T. R.

[Kamshilov, M. M.] [Food of Beroë cucumis Fab.] C.R. Acad. Sci. Moscou 102 2 1955: 399–402. [Russian only.]

[Karlov, N. N.] [On the Triassic deposits of Dnepropetrovsk province.] C.R. Acad. Sci. Moscou 104 1 1955: 121–123. [Russian only.]

Karrenberg, H. see Alloiteau, J. (1).

Kawaguti, S. Ammonium Metabolism of the Reef Corals. Biol. J. Okayama Univ. 1 3 1953: 171–176 text-figs. 1–4.

Kawaguti, S. (1). Coral Fauna of the Island of Botel Tobago, Formosa, with a List of Corals from the Formosan Waters. Biol. J. Okayama Univ. 1 3 1953: 185–197 pls. 1–4 text-fig. 1.

Kawaguti, S. (2). Effects of Light and Ammonium on the Expansion of Polyps in the Reef Corals. Biol. J. Okayama Univ. **2** 1 1954: 45–50 text-figs. 1–5.

Kawaguti, S. & Sakumoto, D. Pigment of Skeleton of a Reef Coral, Oulastrea crispata. Biol. J. Okayama Univ. 1 4 1954: 265-270 text-figs. 1-5.

[Keller, B. M.] [The Ordovician of Kazakstan. I. Type sections of the Ordovician.] Trav. Inst. géol. S.S.S.R. 154 1954: 5-47 text-figs. 1-5. [Russian only.]

[Keller, B. M. & Lisogor, K. A.] [The Ordovician of Kazakstan. I. The Karakan horizon of the Ordovician.] Trav. Inst. géol. S.S.S.R., 154 1954: 48–98 pls. 1–5 text-figs. 1–28. [Russian only—graptolites pp. 61–75.]

[Khalfin, L. L.] [Atlas of the leading forms of the fossil fauna and flora of Western Siberia] 1 1955: 1–502 pls. 1–85 text-figs. 1–202. W. Siberian Geol. Administ., Tomsk. Order Red Labour Banner Polytech. Inst. Moscow. [Russian only.]

[Khalfina, V. K.] Class Hydrozoa, Stromatoporoidea in [Khalfin, L., L., Atlas of the leading forms of the fossil fauna and flora of Western Siberia] 1 1955: 21–26, 153–154, 185–191 pls. 18, 23–26 text-figs. 16–29. [Russian only.]

K[lompé], T. In Memoriam: Johannes Herman Frederic Umbgrove. Indones. J. nat. Sci. **110** 4–6 1954: 121–128.

Kolenkine, X. Étude autoradiographique de l'assimilation chez l'Hydre d'eau douce. Bull. biol. **89** 2 1955 : 169–178 pl. 3.

Kolosváry, G. On the Known Fossil Hydrozoa of Hungary. Ann. hist.-nat. Mus. hung. N.S. 5 1954: 27–38 figs.

Kolosváry, G. (1). Erste Angaben über triassische Korallen des Mecsek-Gebirges in Südungarn. Acta biol. Szeged N.S. 1 1–4 1955: 181–182.

[Komar, V. A.] see [Bublichenko, N. L.]

[Koshtoyantz, Kh. S. & Smirnova, N. H.] [On the nature of the periodic activity in a sea-anemone.] C.R. Acad. Sci. Moscou 104 4 1955: 662–665 text-figs. 1, 2. [Russian only.]

Kott, P. The Zooplankton of Lake Macquarie, 1953–1954. Aust. J. mar. freshw. Res. **6** 3 1955: 429–442 text-figs. 1–5.

[Kraevskaya, L. N.] Class Anthozoa, in [Khalfin, L. L., Atlas of the leading forms of the fossil fauna and flora of Western Siberia] 1 1955: 154–158, 191–218 pls. 18, 19, 26–42 text-figs. 165–167, 174–186. [Russian only.]

Kramp, P. L. Hydrozoa and Scyphozoa. Rep. Swedish Deep-Sea Exped. 1947–8 **2** 1 1951 : 119–127 1 pl. text-fig. 1.

Kramp, P. L. (1). A revision of Ernst Haeckel's determinations of a collection of Medusae belonging to the Zoological Museum of Copenhagen. Deep-Sea Res. **3** Suppl. 1955: 149–168 l pl.

Kühne, W. G. Unterludlow-Graptolithen aus Berliner Geschieben. Neues Jb. Geol. Paläont. Abh. **100** 3 1955: 350–401 text-figs. 1–18.

Kuwabara, M. Der Zusammenhang zwischen den Regenerationsprozessen und die Geschlechtsumkehrung bei *Hydra attenuata*. Proc. Imp. Acad. Tokyo **19** 10 1943: 703–707.

Lafon, M., Durchon, M. & Saudray, Y. Recherches sur les cycles saisonniers du plankton. Ann. Inst. océanogr. Paris N.S. 31 3 1955: 125–230 map, graphs and tables. [Coelenterates pp. 194–195.]

Lang, W. D., Smith, S. & Thomas, H. D. Fletcherina, a New Name for a Palaeozoic Coral Genus. Geol. Mag. 92 3 1955: 261.

[Lapkin, I. Y.] [Lime-dolomite beds of the Donetz Permian.] Bull. Soc. Nat. Moscou Geol. 29 4 1954: 37–50 text-figs. 1–3. [Russian only—lists.]

Larambergue, M. de & Origny, R. Nouvelles stations de *Craspedacusta sowerbyi* Lankester en France. C.R. Ass. franç. Av. Sci. **73** (1954) 1955: 478–479.

[Larionova, E. N. & Safonova, T. P.] [Carboniferous deposits at the town of Sovetsk in the Vyatsk uplift.] Bull. Acad. Sci. Moscou Geol. 6 1955: 29–41 text-fig. 1. [Russian only—lists.]

Laugier, R. Géodes et polypiers du Bajocien lorrain. Sciences de la Terre, Nancy 2 3 1954: 19–27 pls. 1–2 1 table.

Lawson, J. D. The geology of the May Hill inlier. Quart. J. geol. Soc. London 111 1 1955: 85–116 text-figs. 1–5 1 map. [List of graptolites and corals, p. 110.]

Lecompte, M. Note introductrice à la revision du genre Lophophyllum Milne-Edwards et Haime. Publ. Assoc. Étud. Paléont. Strat. houill. No. 21 Hors Sér. Vol-Jub. Homm. Chanoine Félix Demanet 1955: 401–414 pls. A, B.

Leloup, E. A propos d'*Arachnactis albida* M. Sars. Rep. Michael Sars N. Atl. Deep Sea Exped. **5** 10 1954: 1–6 text-figs. 1–3.

Leloup, E. (1). Siphonophores. Rep. Sars N. Atl. Deep Sea Exped. **5** 11 1955: 1–24 text-figs. 1–6.

Leloup, E. (2). Larve de Cérianthaire *Sphaeranthula straeleni* g. nov., sp. nov. Rés. Scient. Expéd. Océanogr. Belg. Eaux Côt. Afr. **3** 4 195**5** : 1–7 text-figs. 1–3.

Leloup, E. (3). Siphonophores. Rés. Scient. Expéd. Océanogr. Belg. Eaux Côt. Afr. **3** 4 1955 : 9–19.

Lilly, S. J. Osmoregulation and ionic regulation in *Hydra*. J. exp. Biol. **32** 2 1955: 423–439 text-figs. 1–8.

Lipparini, T. see Nicosia, M. L.

[Lisogor, K. A.] see [Keller, B. M.]

[Lobanov, M. F.] [Silurian deposits of the Northern Verkhoyan.] C.R. Acad. Sci. Moscou 105 4 1955: 798–799. [Russian only.]

Löfflath, K. see Deckart, M.

Loomis, W. F. Glutathione Control of the Specific Feeding Reactions of *Hydra*. Ann. N.Y. Acad. Sci. **62** 9 1955: 204–228 text-figs. 1–8.

Lytle, C. F. see Crowell, S.

McGinitie, G. E. Distribution and ecology of the marine invertebrates of Point Barrow, Alaska. Smithson. Misc. Coll. 128 9 1955: 1–201 pls. 1–8 text-figs. 1, 2. [Coelenterates, pp. 116–123.]

McNeill, F. Coral Paradise of One Tree Island. Aust. Mus. Mag. 11 12 1955: 404–408 5 text-figs.

[Malakhova, N. P.] [The Turneisk deposits of the eastern slope of the Northern and Central Urals, based on a study of the Foraminifera.] C.R. Acad. Sci. Moscou N.S. 99 4 1954: 605–608. [Russian only.]

Malatesta, A. see Nicosia, M. L.

Malinowska, L. Stratigraphy of the Gothlandian of the Bardo Mountains. Inst. Geol. Biul. Warszawa 95 1955: 5–88 pls. 1–11. [Polish with Russian and English summaries.]

Marie, P. see Chevalier, J.-P.

Martinez, V. G. see Menéndez-Amor, J.

Mattox, N. T. Observations on the Brachiopod communities near Santa Catalina Island. Essays in the nat. Sciences in Honor of Capt. A. Hancock Los Angeles 1955: 73–86 2 pls.

Menéndez-Amor, J. & Martinez, V. G. Un nuevo Aspidiscus para la fauna cretácica española. Bol. Soc. esp. Hist. nat. Secc. Geol. 49 1–3 1951: 153–156 2 text-figs.

[Menyailenko, P. A.] see [Semi-khatova, S. V.]

Metz, K. Zur Paläontologie des anatolischen Paläozoikums. I. Neufunde im Paläozoikum SW-Anatoliens. Neues Jb. Geol. Paläont. Abh. 101 2 1955: 257–266 text-fig. 1.

Meyer, P. Die Regeneration im Tierreich. Die Behandlung des Problems im Unterricht an Hand zweier ausgewählter Beispiele. Teil 1: Der Süsswasserpolyp. Mikrokosmos 45 2 1955: 40-46 text-figs. 1-4.

Millard, N. A. H. New Species of Hydrozoa from South Africa. Ann. S. Afr. Mus. 41 5 1955: 215-222 textfigs. 1-3.

Minato, M. On Some Upper Viséan Coral Fauna from the Coral Limestone of the Kitakami Mountainland, Northeastern Honsyu, Japan. J. Sigenk. Kenk. 1 2 1943: 221–240 pls. 20–23.

Minato, M. (1). Japanese Carboniferous and Permian Corals. J. Fac. Sci. Hokkaido Univ. 4 Geol. Min. 9 2 1955 (July): i-iv, 1-202 pls. 1-43 text-figs. 1-25. [Also published with the same title, pagination and platenumbering by the Japan Soc. Promotion Sci. Ueno Tokyo 1955 (August.)]

Mišik, M. Die geologischen Verhältnisse des Gebietes zwischen Jelšava and Štitnik. Geol. sborn. Slovensk. Akad. 4 3–4 1953: 557– 587. [Czech with Russian and German summaries.]

[Moiseev, A. S.] [On the corals and other organisms in the limestones of Primorsk Land.] Trud. Leningrad. Soc. Nat. 68 2 1951: 208–237 pls. 1, 2. [Russian only—coelenterates pp. 227–233.]

Montanaro-Gallitelli, E. Alcuni aspetti della fauna a coralli del Permiano del Sosio. Atti Accad. Modena (5) 10 1952 : 169–179.

Montanaro-Gallitelli, E. (1). Le "Carinae" in Lophocarinophyllum del Permiano del Sosio (Sicilia). Atti Accad. Modena (5) 10 1952: 180–188 text-figs. 1–5.

Montanaro-Gallitelli, E. (2). Trachypsammacea un nuovo ordine dei celenterati. Atti Accad. Modena (5) **13** 1955 : 224–226.

Moore, R. C. see Bulman, O. M. B.

Müller, I. see Pax, F.

Muller, S. W. & Campbell, A. The Relative Number of Living and Fossil Species of Animals. Syst. Zool. **3** 4 1954: 169–170.

Münch, A. & Wolf, G. Die Graptolithenfauna von Stolzenburg bei Ronneburg. Erdgesch. Thüring. Sachsen herausgeg. R. Hundt 1 1947: 8–15 2 pls. [Not seen.]

[Naumov, D. V. [New genera and species of Hydroidea from the Far-Eastern Seas.] Trav. Inst. zool. Acad. Sci. U.R.S.S. 18 1955: 19–25 text-figs. 1–8. [Russian only.]

[Naumov, D. V. (1).] [Reproduction of the medusae *Aurelia* and *Cyanea*.] Priroda 11 1955: 102–104 5 text-figs. [Russian only.]

[Neiman-Permyakova, O. F.] [Stratigraphical importance of the Halysitidae.] C.R. Acad. Sci. Moscou N.S. 63 3 1948: 317–319. [Russian only.]

Nesterhoff, W. D. Les récifs coralliens du banc Farsan Nord (Mer Rouge). Ann. Inst. océanogr. Monaco N.S. 30 1955: 7–53 pls. 1–21 text-figs. 1–11.

Newell, N. D. & Imbrie, J. Biogeological Reconnaissance in the Bimini Area, Great Bahama Bank. Trans. N.Y. Acad. Sci. 2 18 1 1955: 3–14 text-figs. 1–4 (maps).

Nicol, J. A. C. Observations on luminescence in *Renilla* (Pennatulacea). J. exp. Biol. **32** 2 1955: 299–320 text-figs. 1–10.

Nicol, J. A. C. (1). Nervous regulation of luminescence in the sea pansy *Renilla kollikeri*. J. exp. Biol. **32** 4 1955: 619–635 text-figs. 1–8.

Nicol, J. A. C. see Davenport, D.

Nicosia, M. L. Coralli, Brachiopodi, Molluschi e Pesci, pp. 585–591 in Lipparini, T., Malatesta, A., Nicosia, M. L. & Valdinucci, A., Contributi alla conoscenza delle faune neogeniche e quaternarie della Sicilia. V. Pliocene e Quaternario del Capo Milazzo in Sicilia. Boll. Serv. geol. Ital. 77 4–5 1955: 579–604 text-figs. 1–13.

[Nikiforova, O. I.] [Field Atlas of the Ordovician and Silurian Fauna of the Siberian Platform] 1955: 1–268 pls. 1–62 text-figs. 1–18. All-Union Sci. Research Inst. Geol. Inst., Ministry Geol. & Earth Preservation, Moscow. [Russian only.]

[Nikolaeva, T. V.] Class Anthozoa ... Rugosa in [Nikiforova, O. I., Field Atlas of the Ordovician and Silurian Fauna of the Siberian Platform] 1955: 21–24 pls. 48, 49 text-fig. 1. All-Union Sci. Research Inst. Geol. Inst., Ministry Geol. & Earth Preservation, Moscow. [Russian only.]

Nümann, W. & Beth, K. Die Ansiedlungszeiten der wichtigsten Bewuchsorganismen in der nördlichen Adria. Hidrobiologi Istanbul 3B 1 1955: 3–33 text-figs. 1–4. [Hydrozoa, pp. 22–23.]

[**Obut**, A. M]. [On the Morphology and Systematic Position of the Graptolites.] Ann. All-Russian Palaeont. Soc. **14** 1953: 91–105 text-figs. [Russian only.]

[Obut, A. M. (1)]. Class Graptolithina, Subclass Graptoloidea in [Nikiforova, O. I., Field Atlas of the Ordovician and Silurian Fauna of the Siberian Platform] 1955: 136–139 pls. 61, 62. All-Union Sci. Research Inst. Geol. Inst., Ministry Geol. & Earth Preservation, Moscow. [Russian only.]

Odum, A. J. & **Odum,** E. P. Trophic Structure and Productivity of a Windward Coral Reef Community on Eniwitok Atoll. Ecol. Monogr. **25** 3 1955: 291–320 text-figs. 1–12.

Odum, E. P. see Odum, A. J.

Olivier, S. R. see Ringuelet, R. A.

Omara, S. see Farag, I.

Origny, R. see Larambergue, M. de

Osberger, R. Research in fossil corals from Java. Indones. J. nat. Sci. 110 4-6 1954: 201-207 pls. 1, 2.

Osberger, R. (1). Jungtertiäre Korallen von Java. Teil II. Neues Jb. Geol. Paläont. Abh. **101** 1 1955 : 39–74 pls. 3–6 text-figs. 1–3.

Osberger, R. (2). Beschreibung einiger tertiärer Korallen von Java. Neues Jahrb. Geol. Paläont. Monats. **1955** B6: 252–256 text-figs. 1–3b.

Owen, T. R. & **Jones,** D. G. On the presence of the Upper *Dibunophyllum* Zone (D_3) near Glynneath, South Wales. Geol. Mag. **92** 5 1955: 457-464 text-figs. 1-3.

Packham, G. H. & Stevens, N. C. The Palaeozoic Stratigraphy of Spring and Quarry Creeks, West of Orange, N.S.W. J. roy. Soc. N.S.W. 88 3 1955: 55-60 text-figs. 1, 2.

Palminha, F. "Conquilha" (Donax trunculus L.), Algas e Celenterados em comunidade biológica. Naturália 5 1 1955 : 15-21 text-figs. 1-4.

Pantin, C. F. A. see Passano, L. M.

Paris, J. Contribution à la connaissance de la "Zone Nord des Cannolots". Vie et Milieu 5 4 1954 : 469–512 text-figs. 1–9. [Coelenterates, pp. 499–501.]

Passano, L. M. & Pantin, C. F. A. Mechanical stimulation in the seaanemone *Calliactis parasitica*. Proc. roy. Soc. 143B 911 1955 (for 1954): 226– 238 text-figs. 1–8.

Patzelt, G. Stratigraphische und fazielle Untersuchungen im Gotlandium des Harzes. Wiss. Z. Univ. Greifswald Math.-Nat. R. 4 3-4 1955: 331-333.

Pax, F. Ein neuer Gattungsname für eine adriatische Steinkoralle. Bull. sci. Yougoslav. **2** (3) 1955: 75.

Pax, F. & Müller, I. Gli antozoi del Golfo di Trieste. I. Lo Stato attuale della Ricerca e il Materiale di indagine Esistente. Atti Mus. Stor. nat. Trieste 20 2 (6) 1955: 49–102 pls. 5, 6 text-figs. 1–16.

Pax, F. & Müller, I. (1). Gli Antozoi del Museo Civico di Storia Naturale di Trieste. I. Parte: Antipatharia, Ceriantharia, Zoantharia, Actiniaria, Alcyonaria e Pennatularia. Atti Mus. Stor. nat. Trieste 20 3 (7-8) 1955: 103-129 pls. 7-9 textfigs. 1-9.

Pax, F. & **Müller,** I. (2). Die Korallentiere der Adria. Aquar. Terrar. Z. **8** 1955 : 10–12, 39–40, 67–69 text-figs. 20–27.

Picard, J. Les Hydroides Pteronematidae, origine des "Siphonophores" Chondrophoridae. Bull. Inst. océanogr. Monaco No. 1059 1955: 1–8 text-figs. 1–4.

Picard, J. (1). Nouvelles recherches sur les hydroméduses des Herbiers méditerranéens de Posidonies. Rec. Sta. mar. Endoume No. 15 1955: 59–71.

Picard, J. (2). Deux nouvelles stations de les Limnoméduse *Odessia maeotica* (Ostroumoff) s.-sp. *gallica* (Hartlaub) dans deux étangs salés du littoral méditerranéen français. Rec. Sta. mar. Endoume No. 15 1955 : 91–93.

Picard, J. (3). Sur la position systématique d'*Eucodonium brownei* Hartlaub (1907). Rec. Sta. mar. Endoume No. 15 1955: 95–98.

Picard, J. (4). Les nématocystes du Cténaire *Euchlora rubra* (Kölliker) 1853. Rec. Sta. mar. Endoume No. 15 1955: 99–103.

Pierce, D. C. see Yentsch, C. S.

Pierro, F. Di see Reis, R. H.

Pope, E. C. "Magic Fern", or Sea Cypris. Aust. Mus. Mag. 11 9 1955: 301 text-fig.

Popovici, Z. & **Angelescu,** V. La economia del Mar y sus relaciones con la alimentacion de la humanidad. Publ. Ext. cult. Mus. argent. Cienc. nat. No. 8 1954: 2 vols. [Coelenterates, vol. 1, pp. 560–562.]

Prantl, F. Some Llandoverian Radiolarites from Bohemia. Mém. Soc. Sci. Bohême **1949** 7 1950 : 1-6 figs. 1-3.

Rafferty, K. A. The fates of segments from *Tubularia* primordia. Biol. Bull. Woods Hole **108** 1955: 196–205 text-figs. 1–5.

Reis, R. H. & Pierro, F. Di. Spontaneous Change of Form of the Green Hydra, *Chlorohydra viridissima*. Trans. Amer. micr. Soc. **74** 3 1955: 268–278 text-figs. 1–3.

Reniers-Decoen, M. see Brien, P. Ribeiro, L. C. see Vannucci, M.

Richey, W. C. On the Origin of the Scyphozoa. Proc. Pa Acad. Sci. **29** 1955: 246–254 text-figs. 1–7.

Richter, R. Die ältesten Fossilien Süd-Afrikas. Senckenbergiana Lethaea **36** 3–4 1955: 243–289 pls. 1–7 text-figs. 1, 2.

Ringuelet, R. A. & Olivier, S. R. Anotaciones sobre *Cordilophora caspia* (Pallas) en la Argentina (Hydrozoa). Notas Mus. Eva Perón **17** 1954: 67–70 text-figs. 1–3.

Roback, S. S. see Wurtz, C. B.

Ronchetti, C. R. Revisione della fauna neocretacica della Libia. Coralli: Fam. Smilotrochidae, Caryophylliidae, Parasmiliidae, Eupsammidae. Riv. ital. Paleont. Strat. 61 3 1955: 101–126 pls. 11, 12. [Also issued as Pubbl. Ist. Geol. Paleont. Geog. fis. Univ. Milano P.81 1955: 1–23 pls. 11, 12.]

Ross, D. M. Facilitation in sea anemones. IV. The quick response of Calliactis parasiticà at high temperatures. J. exp. Biol. 32 4 1955: 815-821 text-figs. 1-4.

Różkowska, M. Some corals from the Crania tuberculata zone in the vicinity of Sochaczew near Warsaw. Acta geol. polon. 5 2 Palaeont. 1955: 241–272 pls. 1–2 text-figs. 1–14. [Conspectus pp. 81–82 (Russian), 83– 95 (English).]

Rusconi, C. Fósiles Cámbricos y ordovicios al Oeste de San Isidro, Mendoza. Rev. Mus. Hist. nat. Mendoza 8 1-4 1955: 3-64 pls.1-5.

[Safonova, T. P.] see [Larionova, E. N.]

Sahni, M. R. & Sastry, M. V. A., in M. R. Sahni, Recent Researches in the Palaeontologic Division, Geological Survey of India. Curr. Sci. 24 6 1955: 187–188.

St. Jean, J., Jnr. see Galloway, J. J.

Sakumoto, D. see Kawaguti, S.

Sargent, M. C. & Austin, T. S. Biologic Economy of Coral Reefs. Bikini and Nearby Atolls, Marshall Islands. Prof. Pap. U.S. geol. Surv. 260-E 1954: 293-300 text-fig. 100.

Sastry, M. V. A. see Sahni, M. R. Saudray, Y. see Lafon, M.

Schäfer, W. Eine Qualle aus dem Indischen Ozean in der Ägäis. Natur. u. Volk **85** 8 1955 : 241–245 5 figs.

Schnorf-Steiner, A. Polymorphisme chez *Burgundia trinorchii* Munier-Chalmas. Eclog. geol. Helvet. **48** 2 1955: 464–467 text-figs. 1–3.

Schouppé, A. v. & Stacul, P. Beiträge zur Geologie von Niederländisch-Indien. Die Genera Verbeekiella Penecke, Timorphyllum Gerth, Wannerophyllum n. gen., Lophophyllidium Grabau aus dem Perm von Timor. Palaeontographica Suppl. 4 5 3 1955: 95–196 pls.7–8 text-figs. 1–62 & 1–9.

Semaka, A. see Atanasiu, L.

[Semikhatova, S. V. & Menyailenko, P. A.] [Lithological and Palaeontological characteristics of the deposits between the Devonian and Carboniferous in the southern part of the Don-Medveditz elevation.] C.R. Acad. Sci. Moscou 102 4 1955: 805–808 text-fig. [Russian only.]

Sinclair, G. W. Middle Ordovician Beds in the Saguenay Valley, Quebec. Amer. J. Sci. 251 12 1953: 841-854 text-figs. 1, 2.

[Sinitzin, N. M.] [On the elements of the Palaeozoic relief of Tian-shan.] Trud. Leningr. Soc. nat. 68 2 1951: 47-54 6 figs. [Russian only.]

[Smirnova, N. H.] see [Koshtoyantz, Kh. S.]

Smith, S. see Lang, W. D.

[Sokolov, B. S.] [On the stratigraphic significance of the genus *Chaetetes* Fischer.] Trud. Leningr. Soc. Nat. **68** 2 1951: 55–63. [Russian only.]

[Sokolov, B. S. (1)] [On a new Sub-Class of the Fossil Corals. (A propos the Schizocorals of American Palaeontologists.)] Ann. All-Russian Palaeont. Soc. 14 1953: 61–79. [Russian only].

[Sokolov, B. S. (2)] Subclass Tabulata in [Nikiforova, O. I., Field Atlas of the Ordovician and Silurian Fauna of the Siberian Platform] 1955: 25–34 pls. 9, 22, 32–34, 40–42 text-fig. 2. All-Union Sci. Research Inst. Geol. Inst., Ministry Geol. & Earth Preservation, Moscow. [Russian only.]

[Sokolov, B. S. (3)] [Tabulata of the Palaeozoic of the European part of the U.S.S.R.] Trud. Vses. Neft. Nauchno-Issled. Geol. Raz. Inst. (VNIGRI) 85 1955; 1–527 90 pls. text-figs. [Not seen. Russian only.]

[Solovyeva, M. N.] [On the stratigraphy of the Upper Palaeozoics of Kizil-Kumov.] C.R. Acad. Sci. Moscou 100 3 1955: 545–546. [Russian only.]

[Soshkina, E. D.] [Upper Devonian Rugose Corals, their Systematics and Evolution.] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 34 1951: 1–123 pls. 1–24 text-figs. 1–42. [Russian only.]

[Soshkina, E. D. (1)] [List of Devonian Tetracorals, compiled from material from the Devonian of the Urals, Timan, Armenia and Middle Devonian Areas of the Russian Platform.] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 39 1952: 1–178 pls. 1–49 text-figs. 1–122. [Russian only.]

[Soshkina, E. D. (2)] [Cenogenetic Adaptations in Certain Devonian Rugose Corals.] Ann. All-Russian Palaeont. Soc. 14 1953: 80–90 text-figs. 1–14. [Russian only.]

[Soshkina, E. D. (3)] [Devonian Tetracorals of the Russian Platform.] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 52 1954: 1-76 pls. 1-19 text-figs. 1-21. [Russian only.]

[Soshkina, E. D. (4)] [Development of tetraradiate Silurian corals at the river Podkamennoya Tunguskaya.] Bull. Soc. Nat. Moscou Geol. 30 1 1955: 94. [Russian only.]

Southward, A. J. Observations on the ciliary currents of the jelly-fish *Aurelia aurita* L. J. Mar. Biol. Ass. U.K. **34** 2 1955: 201–216 text-figs. 1–7.

Stacul, P. see Schouppé, A. v.

[Stankevich, L. I.] [New data on the stratigraphy of the lower Ordovician of the Russian Platform.] C.R. Acad. Sci. Moscou 105 2 1955: 343–344. [Russian only.]

Steinberg, M. S. Cell movement, rate of regeneration, and the axial gradient in *Tubularia*. Biol. Bull. Woods Hole **108** 2 1955: 219-234 text-figs, 1, 2.

Stevens, N. C. see Packham, G. H.

Strachan, I. see Clark, T. H.

Stucken, F. Anemonia sulcata—Eine Zierde des Seeaquariums. Aquar. Terrar. Z. 8 11 1955: 295–296 text-fig.

Suzuki, A. see Yabe, H.

Tardent, P. Zum Nachweis eines regenerationshemmenden Stoffes im Hydranth von *Tubularia*. Rev. suisse Zool. 62 2 1955: 289–294 text-figs. 1, 2.

Taylor, M. Distribution of *Pelmatohydra oligactis* (Pallas) in Scotland. Nature Lond. 175 4444 1955: 44-45.

ten Cate, J., Coomans, H. E. & Walop, J. N. L'influence de quelques substances pharmacologiques sur les mouvements des cils vibratiles des tentacules de *Metridium senile* (L.). Arch. néerl. Zool. 11 1 1955: 14–21.

Thomas, D. E. see Hills, E. S.

Thomas, H. D. Corals and Stromatoporoids in Wilford, G. E., The Geology and Mineral Resources of the Kuching-Lundu Area, West Sarawak, including the Bau Mining District. Geol. Surv. Dept. Brit. Terr. Borneo Mem. 3 1955: 61-65.

Thomas, H. D. see Lang, W. D.

Thorsteinsson, R. The Mode of Cladial Generation in *Cyrtograptus*. Geol. Mag. **92** 1 1955: 37–49 pls. 3–4 text-figs. 1–4.

Thorsteinsson, R. & Fortier, Y. O. Report of Progress on the Geology of Cornwallis Island, Arctic Archipelago, Northwest Territories. Geol. Surv. Can. Prelim. Paper 1954: 53–54 [? 23–24]. [Not seen.]

Tixier-Durivault, A. Sur quelques Alcyoniidae de la Mer Rouge. Ann. Inst. océanogr. Monaco N.S. **30** 1955: 121–128.

Tixier-Durivault, A. (1). Alcyonaires atlantiques intertropicaux. Rés. Scient. Expéd. Océanogr. Belg. Eaux Côt. Afr. **3** 4 1955: 197–246 text-figs. 1–36.

[**Tokin,** I. B.] [Some complicated problems in oogenesis of *Hydra oligactis.*] G.R. Acad. Sci. Moscou **102** 1 1955: 197–200 text-figs. 1–3. [Russian only.]

Totton, A. K. Development and metamorphosis of the larva of *Agalma elegans* (Sars) (Siphonophora Physonectae). Deep-Sea Res. **3** Suppl. 1955: 239–241 figs. 1–9.

Uchida, T. Dispersal in Japan of the Fresh-water Medusa, *Craspedacusta* sowerbyi Lankester, with Remarks on C. iseana (Oka and Hara). Annot. zool. jap. 28 2 1955: 114-120 text-figs. 1-5.

Utinomi, H. Some Alcyoniid octocorals from Kii coast, middle Japan. Publ. Seto Mar. biol. Lab. 4 1 1954 : 43-55 pl. 1 text-figs. 1-8.

Utinomi, H. (1). Some Nephtheid octocorals from Kii coast, middle Japan. Publ. Seto Mar. biol. Lab. 4 1 1954: 57-66 pl. 2 text-figs. 1-6.

Utinomi, H. (2). Two new species of *Xenia* from Kusimoto (Coelenterata, Alcyonaria). Publ. Seto Mar. biol. Lab. **4** 2–3 1955: 263–267 text-figs. 1, 2.

Valdinucci, A. see Nicosia, M. L.

Vannucci, M. Hydrozoa e Scyphozoa existentes no Instituto Oceanográfico. II. Bol. Inst. oceanogr. S. Paulo 5 1–2 1954: 95–149 pls. 1–6. [Portuguese with English summary.]

Vannucci, M. (1). On the newly liberated Medusa of *Obelia hyalina* Clarke 1879. Dusenia **6** 1–2 1955: 55–60 text-figs. 1, 2.

Vannucci, M. & Ribeiro, L. C. O ciclo reproductivo de *Clytia cylindrica* L. Agass., 1862 (Hydrozoa: Campanulariidae). Dusenia **6** 3–4 1955: 69–80 text-figs. 1–9. [Portuguese with English summary.]

Vannucci Mendes, M. Sôbre a Larva de *Dibothriorhynchus dinoi*, sp. n. Parasita dos Rhizostomata. Arq. Mus. Paranaense **4** 1944: 47-82 pls. 3-5.

[Varentzov, I. M.] [On the stratigraphy of the Middle Devonian deposits of Tuva.] C.R. Acad. Sci. Moscou 104 3 1955: 459-461 table. [Russian only.]

Venkatesh, K. see Iyengar, H. D. R.

[Vinogradova, N. G.] [Materia on the quantitative composition of the bottom fauna of some bays in the Okhotsk and Behring Seas.] Trud. Inst. Oceanol. 9 1954: 136–158 text-figs. 1–3. [Russian only.]

[Voinovskii-Kriger, K. G.] [A new *Michelinia* from the Tournaisian deposits of the basin of the River Petchora.] Ann. All-Russian Palaeont. Soc. 13 1949: 99–100 text-fig. 1. [Russian only.]

Vuillaume, M. Technique de fixation des hydres d'eau douce. Vie et Milieu **6** 2 1955 : 285–286.

Wagstaffe, R. & Fidler, J. H. The Preservation of Natural History Specimens. Vol. 1. Invertebrates, 1955: i-xiii, 1-205 text-figs. 1-139.

Walop, J. N. see ten Cate, J. Wautier, J. see Wautier, V.

Wautier, V. & Wautier, J. Le Cancer et des Invertébrés. Seconde partié: Réactions provoquées par les substances cancérigènes. Bull. mens. Soc. Linn. Lyon 24 5 1955: 107–123.

Wells, J. W. Recent and Subfossil Corals of Moreton Bay, Queensland. Pap. Dep. Geol. Univ. Qd. N.S. 4 10 1955: 4–23 pls. 1–3.

Wells, J. W. (1). A survey of the distribution of reef coral genera in the Great Barrier Reef region. Rep. Gt. Barrier Reef Comm. 6 2 1955: 1-9 1 chart.

Welsh, J. H. On the nature and action of coelenterate toxins. Deep-Sea Res. 3 Suppl. 1955: 287–297 figs. 1, 2.

Werner, B. On the Development and Reproduction of the Anthomedusan *Margelopsis haeckeli* Hartlaub. Ann. N.Y. Acad. Sci. **62** 1 1955: 1–30 text-figs. 1–9.

Werner, B. (1). Über die Fortpflanzung der Anthomeduse Margelopsis haeckeli Hartlaub durch Subitanund Dauereier und die Abhängigkeit ihrer Bildung von äusseren Faktoren. Verh. dtsch. zool. Ges. 1954 1955: 124–133 text-figs. 1–5.

Werner, B. (2). Die Entwicklung des Polypen von Ectopleura dumortieri van Beneden. Helgoländ. wiss. Meeresunters. 5 2 1955: 235–250 text-figs. 1–8.

Werner, B. see Aurich, H.

Westblad, E. Some Hydroidea and Turbellaria from Western Norway. Univ. Bergen Årb. Naturv. R. **1954** 11 1955: 1–22 text-figs. 1–6.

Whittington, H. B. Additional new Ordovician graptolites and a chitinozoan from Oklahoma. J. Paleont. 29 5 1955: 837–851 pls. 83–84 text-figs. 1–19.

Williams, M. Y. The Age of the Fossil Hill Coral Reefs. Trans. roy. Soc. Can. (3) 49 4 1955: 117-128 text-figs. 1, 2.

Wolf, G. see Münch, A.

Wood, E. J. F. see Dew, B.

Woolacott, L. Coral Dwellers. Proc. R. zool. Soc. N.S.W. **1953-54** 1955: 79–81 pl. 2.

Wurtz, C. B. & Roback, S. S. The invertebrate fauna of some Gulf Coast rivers. Proc. nat. Acad. Sci. Philad. 107 1955: 167–206. [Coelenterata, p. 178.]

Yabe, H. The Second Discovery of *Graphularia*-like Bodies, from the Tertiary of Japan. Proc. Japan Acad. **31** 5 1955: 288–293 text-figs. 1–5.

Yabe, H. & Suzuki, A. Second Occurrence of Colonial Corals of Devonian Type in Tyôsen (Korea). Proc. Japan Acad. 31 6 1955: 355-359 text-figs. 1–4.

[Yakowlew, N. N.] [On the problem of the connection between Archaeocyathines and Corals.] C.R. Acad. Sci. U.R.S.S. 96 4 1954: 771–773. [Russian only.]

Yamada, M. Some Hydroids from Agattu, in the Aleutian Islands. Annot. zool. jap. 28 2 1955: 121–125 text-figs. 1, 2.

Yamada, M. (1). Invertebrate fauna of the intertidal zone of the Tokara Islands. XI. Hydroida. Publ. Seto Mar. biol. Lab. 42–3 1955: 353–358 pls. 23, 24.

Yamao, Y. Histochemistry and Biochemistry of Sea-anemones. 1. Actinia-violet, a Violet-Fluorescent Substance present in the Tissue of Anthopleura japonica (Preliminary note). J. Coll. Sci. Chiba Univ. Nat. Sci. Ser. 1 4 1955: 256–258. [Japanese only.]

[Yavorsky, V. I.] Class Hydrozoa, Order Stromatoporoidea in [Nikiforova, O. I., Field Atlas of the Ordovician and Silurian Fauna of the Siberian Platform] 1955: 35–39 pls. 35, 36, 53 text-figs. 3–6. All-Union Sci. Research Inst. Geol. Inst., Ministry Geol. & Earth Preservation, Moscow. [Russian only.]

Yentsch, C. S. & Pierce, D. C. "Swimming" Anemone from Puget Sound. Science 122 3182 1955: 1231–1233 text-figs. 1, 2.

Zahl, P. A. Glass Menageries of the Sea. Nat. geogr. Mag. **107** 6 1955: 797–822 figs.

Zbyszewski, G. L' Aquitanien supérieur de Lisbonne et du Ribatejo. Comun. Serv. geol. Portug. **35** 1954: 99–153 pls. 5–16. [Corals pp. 115–116.]

Zinck, K. Of coral and things. Aquarium Philad. **24** 11 1955: 340–344, 350 7 text-figs.

II.—SUBJECT INDEX

GENERAL LITERATURE AND HISTORY

Textbooks and General Works.—Bulman.

Popular works.—Marine coelenterates, ZAHL.

Monographs.—Japanese Carboniferous and Permian corals, MINATO (1); Palaeozoic Tabulate corals of European Russia, [Sokolov (3)].

Classification and Nomenclature.—Nomenclature of Stylaster gemmascens and Madrepora gemmascens, Boschma; systematic position of Eucodonium brownei, Picard (3); classification of the Graptolithina, Bulman; systematic position of the graptolites, [Obut]; Trachypsammacea a new order of alcyonarians, Montanaro-Gallitelli (2); the Schizocorallia, a Sub-Class of Palaeozoic corals, [Sokolov (1)].

Terminology.—For Rugose corals, [Soshkina (1)].

Technique.—Fixation of Hydra fusca Vuillaume; preparation of graptolites, Bulman; Anemonia sulcata in aquaria, Stucken; preservation of coelenterates, Wagstaffe & Fidler; use of corals in marine aquaria, Zinck.

Sertularia cupressina in commerce, Pope; economic importance of coelenterates, Popovici & Angelescu.

Relative number of living and fossil coelenterates, Muller & Campbell.

Obituary.—J. H. F. Umbgrove, $K[LOMP\acute{E}]$.

STRUCTURE

Polysaccharides in Phialidium gregarium, Bonner; cytochemical research on nematocysts, Hamon; histochemistry of the nematocysts of Abylopsis tetragona and Anemonia sulcata, HAMON (1); actinia-violet in the tissue of Anthopleura japonica; YAMAO; pigment of Oulastraea crispata, KAWAGUTI & Sakumoto; morphological significance of the pneumatophore in siphonophores, Hadži; the eggs of Margelopsis haeckeli, WERNER (1); polymorphism in †Burgundia trinorchii, Schnorf-Steiner; Tetraplatia volitans, HAND (3); variation in Tubularia larynx, Hawes; graptolites, Bulman, [Obut]; some alcyonarian axes, Bayer; variation in Heliopora coerulea (p. 62), Dawydoff; the †Halysitidae, BUEHLER; Palaeozoic tabulate corals, [SOKOLOV (3)]; the †Columnariidae, GLINSKI; septal arrangement in some †porpitid corals, Jeffords; the carinae of †Lophocarinophyllum, Montan-ARO-GALLITELLI (1); some Permian corals, Schouppé & STACUL; cenogenetic adaptations in some Devonian rugose corals, [Soshkina (2)].

PHYSIOLOGY

Spontaneous change of form of Chlorohydra viridissima, REIS & PIERRO; glutathione control of the specific feeding reactions of Hydra, LOOMIS; calcium uptake by Astrangia danae, GOREAU & BOWEN; ammonium metabolism of reef corals, KAWAGUTI; effects of light and ammonium concentration on the expansion of polyps in reef corals, KAWAGUTI (2); assimilation by Hydra, KOLENKINE; osmoregulation and ionic regulation in Hydra, LILLY; significance of the interstitial cells of Hydras, BRIEN; significance of the interstitial cells of Hydra and the problem of embryonic reserve, Brien & Reniers-Decoen; locomotion of frustules of Craspedacusta, Crowell & Lytle; effects of stimulation of the nerves and muscles of Geryonia proboscidalis, HORRIDGE; effects of repeated stimulation of the muscle of Rhizostoma pulmo, HORRIDGE (1); coordination of movement in Aequorea, HORRIDGE (2); mechanical stimulation in Calliactis parasitica, PASSANO & PANTIN; facilitation in Calliactis parasitica at high temperatures, Ross; ciliary currents in Aurelia aurita, Southward; periodic activity in Actinia equina, [Koshtoyantz & Smir-NOVA]; influence of certain pharmacological substances on the move-ments of the tentacular cilia of Metridium sessile, TEN CATE, COOMANS & WALOP; effect of carcinogenetic substances on Obelia geniculata, WAUTIER & WAUTIER; probable influence of the nervous system on the functioning of the stinging capsules of *Hydra*, GLUMAC, GLUMAC (1); stinging cells of Hydra, DECKART & LÖFFLATH; nematocysts of a ctenophore, PICARD (4); luminescence in Hydromedusae, DAVENPORT & NICOL; luminescence in an alcyonarian, NICOL; nervous regulation of luminescence in an alcyonarian, NICOL (1); nature and action of coelenterate toxins, Welsh.

Regeneration.—Hydra deprived of interstitial cells, BRIEN; Hydra, MEYER; fates of segments in the reconstitution of Tubularia primordia RAFFERTY; cell movement, rate of regeneration and the axial gradient in Tubularia, STEINBERG; Actinia equina, ABELOOS; connection between regeneration-processes and sexual inversion, KUWABARA,

REPRODUCTION

Duration and periodicity of sexual reproduction in Pelmatohydra robusta, Itô; effect of lowering temperature on sexual maturity in Hydra parva, Itô (1); oogenesis in Hydra oligactis, [TOKIN]; Limnocnida tanganyicae, BOUIL-LON, and BRIEN (1); reproductive cycle of Clytia cylindrica, VANNUCCI & RIBEIRO; planktonic reproductive structures of Halecium pusillum, Huvé; Margelopsis haeckeli, WERNER; propagation of Margelopsis haeckeli by the sudden development of eggs and of over-wintering eggs, and the dependence of their structure on external factors, Werner (1); Aurelia aurita and Cyanea capillata, [NAUMOV (1)]; Stomphia coccinea (p. 122), MACGINITIE; asexual increase in †Halysitidae, BUEH-LER.

DEVELOPMENT

Biological cycle of Limnocnida tanganyicae, BOUILLON, and BRIEN (1); Halecium pusillum, Huvé; months of settlement of young hydrozoan colonies in the Adriatic, NÜMANN & BETH; Scolionema suvaensis and Olindias phosphorica, Picard (1); polymorphism in †Burgundia trinorchii, Schnorf-Steiner; Tubularia larynx, HAWES; experiments on inhibition of hydranth formation in stem pieces of Tubularia, TARDENT; development and metamorphosis of the larva of Agalma elegans, Totton; the newly liberated medusa of Obelia hyalina, VANNUCCI (1); Margelopsis haeckeli, WERNER; polysaccharides in the early development of Phialidium gregarium, BONNER; cladial generation in †Cyrtograptus, THORSTEINSSON; †Pipiograptus, Whittington; the polyps of Ectopleura dumortieri, Werner, Werner (2); Diadumene luciae, Atoda (1), Atoda (2); larvae of Arachnactis albida, Leloup; ontogeny of some †porpitid corals, Jeffords.

EVOLUTION AND RELATIONSHIPS

Evolution of the Cnidaria, CARTER; Hadži's interpretations of the phylogeny of the coelenterates, CARTER (1); symbiosis as a factor in the formation of Hydra spp., GLUMAC (2); affinities of Tetraplatia volitans, HAND (3); origin of the Chondrophoridae (siphonophores), PICARD; evolution and

phylogeny of graptolites, Bulman; relationship of the scyphopolyp to the scyphomedusa, Hadži (1); origin of the Scyphozoa, Richey; evolution of some alcyonarians, Bayer; relationships of the †Halysitidae, Buehler; relationship between corals and archaeocyathines, [Yakowlew]; phylogeny and evolution of Devonian Rugosa, [Soshkina] and [Soshkina (3)].

ECOLOGY AND HABITS

Seasonal variation in planktonic ctenophores and scyphozoans, LAFON, Durchon & Saudray; statistical survey of the months of settlement of young hydrozoan colonies in the Adriatic, NÜMANN & BETH; ecology of the "Zone Nord des Cannalots", Gulf of Lyons, PARIS; Hydromedusae of some Mediterranean sea-pastures, PICARD (1); anthozoa of the intertidal areas of northern Spain, FISCHER-PIETTE; hydroids of the intertidal zone of some Japanese islands, YA-MADA (1); fouling in Sydney Harbour by two hydroids, Dew & Wood; planktonic coelenterates of a salt-water lake in New South Wales, Kott; ecology of Bimeria franciscana in a lake in Louisiana, Crowell & DARNELL; seasonal distribution of some coelenterates of the S. coast of Texas (p. 604), Gunter; benthoic coelenterates of Southern California, HARTMAN; marine coelenterates of Alaska, MACGINITIE; ecology of graptolites, Bulman; ecology of the †Halysitidae, BUEHLER; ecology of some Japanese Pleistocene corals, HATAI & HAYASAKA; ecology of some Lower Eocene corals of Poland, Różkowska; ecology of some Jurassic corals of Czechoslovakia, GEYER; "swimming" motion by a seaanemone, Yentsch & Pierce; food of Craspedacusta sowerbii, DAVIS; food of Beroë cucumis in the Barents Sea, [KAMSHILOV].

Commensalism, Association and Symbiosis.—Symbiosis of Chlorohydra viridissima with Zoochlorellae, GLUMAC (2); rhizostomatous medusae infested with parasitic worms, VANNUCCI MENDES; Tubularia parasitica and a gorgonid (p. 54), various organisms and Microspicularia pachyclados (p. 61), cirripedes and Zoanthus (p. 72), an alcyon-

arian and Planoctena caulleryi (p. 77), DAWYDOFF; coelenterates in brachiopod communities near Santa Catalina Island, MATTOX; a hydroid and a sea-anemone attached to an American lobster, Dexter; anthozoans with crustaceans, PAX & MÜLLER; coelenterates with a lamellibranch, PAL-MINHA; three lamellibranchs and a coral, Woolagott.

Coral reefs.—Great Bahama Bank, Newell & Imbrie; North Farsan, Red Sea, Nesteroff; an island of the Great Barrier Reef, McNeill; reef coral genera in the Great Barrier Reef region, Wells (1); trophic structure and productivity of a windward coral reef community on Eniwetok Atoll, Odum & Odum; the Marshall Islands, Sargent & Austin; the Silurian in Canada, Williams.

DISTRIBUTION 1.—GEOGRAPHICAL

A.--MARINE

Atlantic Ocean (including Medi terranean and Black Seas).-Revision of Haeckel's determinations of a collection of medusae belonging to the Zoological Museum of Copenhagen, KRAMP (1); coelenterates of the Gulf of Lyons, Paris; coelenterates of French Oceania, Chabouis & CHABOUIS; distribution of Tetraplatia, HAND (3); siphonophores of the North Atlantic, Leloup (1); Velella spirans off Scotland, Anon, and CAMP-BELL, J. L.; Tubularia larynx off S. Devon, Hawes; planktonic stage of Ectopleura dumortieri in the North Sea, AURICH & WERNER; Hydromedusae of some Mediterranean sea-pastures, Picard (1); Odessia maeotica gallica in salt marshes of S. France, PICARD (2); Eucodonium brownei off S. France, PICARD (3); three hydroids of western Norway, Westblad; Stylaster gemmascens from Norway, etc., Boschma; Stylaster roseus from the West Indies, Boschma (1); a hydroid in a tidal lake in Louisiana, CROWELL & DARNELL; hydroids of the Gulf of Mexico, FINCHER; W. African tropical siphonophores, Leloup (3); new spp. of Hydrozoa from S. Africa, MILLARD; a deep-sea, tropical, mid-Atlantic hydrozoan and scyphozoan, KRAMP; hydrozoans and scyphozoans off Brazil, VANNUCCI; a scyphozoan of the Indian Ocean in the Aegaean Sea, Schäfer; alcyonarians from the Adriatic, Pax & Müller (2); Pennatulacea of the Gold Coast, Buchanan; new W. African tropical spp. of Alcyonium, Tixier-Durivault (1); octocorals from S. Norway, Greenland and Canada, Broch; a new sp. of alcyonarian from the Gulf of Mexico, Bayer (1); alcyonarians and zoantharians from various localities in the Natural History Museum at Trieste, Pax & Müller (1); a new name for Microcyathus Döderlein non Hinde, Pax; two zoantharians of northern Spain, Fischer-Piette; anthozoans of the Gulf of Trieste, Pax & Müller; Arachnactis albida larvae of the North Atlantic, Leloup; deep-sea midatlantic tropical actiniarians, Carlgren; a new genus and sp. of ceriantharian from off W. Africa, Leloup (2).

Pacific Ocean.—Revision of Haeckel's determinations of a collection of medusae belonging to the Zoological Museum of Copenhagen, KRAMP (1); coelenterates of the China Sea, Dawy-DOFF; distribution of benthoic coelenterates in bays of the Behring and Okhotsk Seas, [Vinogradova]; distribution of Tetraplatia, Hand (3); hydroids of Japan, Yamada (1); new hydroids from Russian seas, [NAUMOV]; hydroids from the Aleutian Islands, YAMADA; hydrozoa of S.E. Australia, BLACKBURN; alcyonarians, some new, of Guadalupe Is., the Caroline Islands, Marshall Islands, and Flores and China Seas, BAYER; alcyonarians from Japan, Uтіномі-Utinomi (2); alcyonarians and zoantharians from various localities in the Natural History Museum at Trieste, PAX & MÜLLER (1); sea-anemones of a Japanese island, ATODA; coral fauna of an island S.E. of Formosa, KAWAGUTI (1); sea-anemones of Central California, HAND-HAND (2); Stomphia coccinea from Washington State, YENTSCH & PIERCE; corals of Queensland, Wells; reef coral genera in the Great Barrier Reef region, Wells (1).

Indian Ocean.—Revision of Haeckel's determinations of a collection of medusae belonging to the Zoological Museum of Copenhagen, KRAMP (1);

distribution of *Tetraplatia*, Hand (3); a new sp. of Hydrozoa from S. Africa, Millard; aleyonarians of the Red Sea, Tixier-Durivault; a new genus of aleyonarian from the Flores Sea, Bayer; aleyonarians and zoantharians from Ceylon, etc., in the Natural History Museum at Trieste, Pax & Müller (1).

Arctic Ocean.—Revision of Haeckel's determinations of a collection of medusae belonging to the Zoological Museum of Copenhagen, Kramp (1); distribution of benthoic coelenterates in bays of the Behring and Okhotsk Seas, [Vinogradova]; coelenterates of Alaska, MacGinttie; octocorals from N. Russia, Spitzbergen, Norway, Greenland and N. Canada, Broch.

Antarctic Ocean.—None.

B.—FRESHWATER

Pelmatohydra oligactis in Scotland, Taylor; two hydroids in brackish water in western Norway, Westblad; Limnocnida tanganyicae in C. Africa, Bouillon; L. tanganyicae in Mauretania, W. Africa, Dekeyser; L. indica in Mysore, India, Iyengar & Venkatesh; a hydroid in a lake in Louisiana, Crowell & Darnell; hydrozoa and scyphozoa of some rivers of Texas and Florida, Wurtz & Roback; Cordylophora caspia in Argentina, Ringuelet & Olivier.

Craspedacusta.—C. sowerbyi in France, LARAMBERGUE & ORIGNY; C. sowerbyi and C. iseana in Japan, Uchida; C. sowerbyi in Indiana, GARNER.

2.—GEOLOGICAL

Subfossil.—Corals of a Queensland bay, Wells.

Pleistocene.—Corals of Japan, HATAI & HAYASAKA; corals of Java, OSBERGER (1).

Pliocene.—A coral of Turkey, Chaput; corals of Sicily, Nicosia; corals of Java, Osberger—Osberger (2).

Miocene.—Alcyonarians of Pakistan and Italy, Bayer; alcyonarian spicules from Australia, Deflandre-Rigaud; corals of Portugal, Zbyszewski; corals of Greece, Chevalier; two new corals of India, Sahni & Sastry; corals of Java, Osberger—Osberger (2).

Oligocene.—Corals of Greece, Chevalier; corals of S.W. France, Chevalier (1); two new corals of Java, Osberger (2).

Eocene or Oligocene.—Graphularialike bodies in Japan, Yabe.

Eocene.—Hydrozoa of Hungary, Kolosváry; alcyonarian spicules from France, Deflandre-Rigaud; Alcyonaria from Trinidad and the Moluccas Bayer (1); corals from Poland, Różkowska.

Cretaceous.—Hydrozoa of Hungary, Kolosváry; three corals from Kent, Hampton; corals of Spain, Alloiteau, Bataller; an Aspidiscus from Spain, Menéndez-Amor & Martínez; corals of Rumania, Atanasiu & Semaka; corals of Libya, Ronchetti.

Jurassic.—Stromatoporoids from Tunisia and Central Arabia, Hudson; the type specimen of Stromatopora arrabidensis from Portugal, Hudson (1); Hydrozoa of Hungary, Kolosváry; stromatoporoids and corals of Sarawak, Thomas; a coral in S. France, Guérin; corals of Portugal, Geyer (1); corals of Czechoslovakia, Geyer; a coral in Sinai, Farag & Omara; corals of Arabia, Alloiteau (1); geodes and replacement of corals in Lorraine, Laugier.

Triassic.—Hydrozoa of Hungary, Kolosváry; corals and stromatoporoids of Primorsk Land, Russia, [Moiseev]; corals in the Dnepropetrovsk province, Russia, [Karlov]; corals in Hungary, Kolosváry (1).

Permian. — Stratigraphic significance of Chaetetes, [Sokolov]; tabulate corals of European Russia, [Sokolov (3)]; coral fauna of Sicily, Montanaro-Gallitelli; Lophocarinophyllum in Sicily, Montanaro-Gallitelli (1); corals of Turkey, Flügel (3); corals from Anatolia, Metz; corals in the Donetz Basin, [Lapkin]; corals of Timor, Schouppé & Stacul; corals of Japan, Minato (1); corals in Australia and New Zealand, Hill (1).

Carboniferous. — Hydrozoa of Hungary, Kolosváry; stratigraphical distribution of graptolites and corals in W. Siberia, [Khalfin]; a tabulate

coral from Austria, FLÜGEL (1); stratigraphic significance of Chaetetes, [SOKOLOV]; tabulate corals of European Russia, [SOKOLOV (3)]; a new Michelinia from Russia, [VOINOVSKII-KRIGER]; revision of Lophophyllum, LECOMPTE; zaphrentid corals in South Wales, Owen & Jones; corals in Czechoslovakia, Mišik; corals of the Donetz Basin, [AÏZENBERG, & Brashnikova]; corals of Bashkiria, Russia, [Einov], [Einov (1)]; corals of W. Siberia, [Fomttchev]; corals at the River Vyatka, Russia, [LARIONOVA & Safonova]; corals in the Northern and Central Urals, [Malakhova]; corals of the Don-Medveditz elevation, Russia, [Semikhatova & Menyail-ENKO]; corals of Kizil-Kumov, Russia, [Solovyeva]; corals in Tian-shan, [SINITZIN]; rugose corals of Japan, MINATO; corals of Japan, MINATO (1); corals from New Mexico and Texas, Jeffords (1).

Devonian.—A new sp. of *Dictyonema* from Oklahoma, DECKER; stromatoporoids of W. Siberia, [KHALFINA]; two gorgonarians from S. Africa, RICHTER; stromatoporoids and corals of the R. Tomi, Russia, [Belskaya & IVANIYA]; stratigraphical distribution of stromatoporoids and corals in W. Siberia, [Khalfin]; stromatoporoids and corals of Kizil-Kumov, Russia, [Solovyeva]; tabulate corals of European Russia, [Sokolov (3)]; Columnariidae of Germany, GLINSKI; corals in Austria, FLÜGEL (5); corals from Turkey, Flügel (2); corals from Anatolia, Metz; Calceola sandalina in Rudni Altai, Russia, [Bubli-CHENKO, BULVANKER & KOMAR]; tetracorals of W. Siberia, [IVANIA]; corals of W. Siberia, [Kraevskaya]; corals of the Don-Medveditz elevation, Russia, [Semikhatova & Menyallenko]; rugose corals of Russia, [Soshkina]; Rugosa of Russia and the Carnic Alps, [Soshkina (1)]; rugose corals of the Russian Platform, [Soshkina (3)]; corals in Tuva, Russia, [VARENTZOV]; a new name for a Chinese genus of corals, Lang, Smith & Thomas; corals in Korea, YABE & SUZUKI; corals in Ohio, CARMAN.

Silurian.—Location of some type and figured specimens of graptolites, EISENACK (1); *Linograptus* in Germany,

HEMMANN; graptolites in Thuringia, JAEGER; graptolites from Germany, EISENACK, GRUHL, KÜHNE, MÜNCH & WOLF, and PATZELT; graptolites of the Carnic Alps, Flügel; graptolites in Bohemia, PRANTL; graptolites of Poland, Malinowska; graptolites of Turkey, Flügel (4); graptolites of Siberia, [Obut (1)]; a new subsp. of Cyrtograptus from the Canadian Arctic, THORSTEINSSON; graptolites of the Canadian Arctic, Thorsteinsson & FORTIER; graptolitic facies in Victoria, Australia, HILLS & THOMAS; stromatoporoids of Siberia, [KHAL-FINA], [YAVORSKY]; graptolites and corals in England and Wales, LAWSON; stratigraphical distribution of stromatoporoids, graptolites and corals in Siberia, [Khalfin], [Nikiforova]; stromatoporoids and corals in Canadian coral reefs, WILLIAMS; graptolites and corals in New South Wales, PACKHAM & STEVENS; Halysitidae, BUEHLER; stratigraphical significance of the Halysitidae, [NEIMAN-PERM-YAKOVA]; tabulate corals of European Russia, [Sokolov (3)]; tabulate corals of Siberia [KRAEVSKAYA], [SOK-OLOV (2)]; Tabulata and Heliolitidae of Central Asia, [CHEKHOVICH]; a new tabulate coral from New South Wales, FITZGERALD; corals in Russia, [Soshkina (4)]; corals of Northern Verkhoyan, [Lobanov]; corals of Siberia, [Nikolaeva]; a new genus of cystiphyllid corals from New South Wales, Crook.

Ordovician.—Discussion of type sections of the Ordovician, [Keller]; location of some type and figured specimens of graptolites, Eisenack (1); graptolites of the Russian Platform, [Stankevich]; graptolites of Siberia, [Keller & Lisogor], [Khalfin]; graptolite localities in New South Wales, Fletcher; graptolites in New South Wales, Packham & Stevens; graptolitic facies in Victoria, Australia, Hills & Thomas; graptolites of Quebec, Clark & Stragham; new genera and spp. of graptolites and a chitinozoan from Oklahoma, Whittington; graptolites and corals in Quebec, Singlair; stratigraphical distribution of corals, stromatoporoids and graptolites in Siberia, [Nikiforova]; stromatoporoids of Siberia, [Yavorsky]; the

type specimen of Stromatocerium rugosum, Galloway & St. Jean; the Halysitidae, Buehler; tabulate corals of European Russia, [Sokolov (3)]; tabulate corals of Siberia, [Kraevskaya], [Sokolov (2)]; corals from Tasmania, Hill; a coral of Argentina, Rusconi.

Cambrian.—A new genus and species of Schizocoral from Montana, Fritz & Howell; a coral of Argentina, Rusconi.

III.—SYSTEMATIC INDEX

Full references are given only in the case of a new genus or species, the volume number being printed in "Small bold clarendon", e.g., 15.

HYDROZOA

Abietinaria rigida p. 124 fig., Yamada. Abyla trigona p. 7, Leloup (1).

Abylopsis eschscholtzi p. 7, tetragona p. 8, Leloup (1).

†Actinostroma clathratum p. 186 fig., piriformis sp. n. p. 186 fig. Devonian W. Siberia, [KHALFINA] Atlas of the leading forms of the fossil fauna and flora of Western Siberia 1 1955.

Aegina citrea p. 422, BLACKBURN.

Aeginopsis laurentii p. 161, KRAMP (1).

Aequorea macrodactyla pp. 157, 158, Kramp (1).

Agalma elegans, okeni p. 13, LELOUP (1).

Aglantha elongata p. 418, Blackburn.

—A. digitalis p. 158, Kramp (1).

A. digitalis p. 119, MacGinitie.

Aglaophenia rigida, VANNUCCI.—A. amoyensis p. 357 fig., YAMADA (1).

Aglaura hemistoma p. 417, Blackburn.
—A. hemistoma p. 119, Vannucci.

Amphisatia pulchella p. 116 fig., Vannucci.

Anarthroclada gen. n. (fam. Plumulariidae) p. 20, type sp. (by original designation) parmata sp. n. p. 20 fig. Iona Island, Okhotsk Sea, [NAUMOV] Trav. Inst. zool. Acad. Sci. U.R.S.S. 18 1955.

Anthophysa rosea p. 14, LELOUP (1).

Apolemia uvaria p. 13, LELOUP (1).

Astrolabia gen. n. (fam. Plumulariidae) p. 22, type sp. (by original designation) heterotheca sp. n. p. 22 fig. Astrolabia Straits, Kurile Islands, [NAUMOV] Trav. Inst. zool. Acad. Sci. U.R.S.S. 18 1955.

Bargmannia elongata p. 13, Leloup (1).

Bassia bassensis p. 8, LELOUP (1).

Bathyphysa conifera p. 14 fig., LELOUP (1).

†Beatricea nodulosa p. 37 fig., undulata p. 38 fig., tenuipunctata p. 38 fig., [YAV-ORSKY].

Bimeria franciscana p. 516, CROWELL & DARNELL.

Botrynema brucei p. 420, Blackburn.

Bougainvillia principis pp. 154, 155, superciliaris pp. 154, 155, platygaster p. 155, Kramp (1).—B. [as Bougainvillea (sic)] superciliaris p. 118, MACGINITIE.

†Burgundia trinorchii p. 464 fig. Schnorf-Steiner.

Campanularia laevis p. 106 fig., VANNUCCI.—C. integra p. 121 fig., YAMADA.

Catablema vesicarium pp. 152, 153, campanula and eurystoma Haeckel are vesicarium p. 153, KRAMP (1).

Ceratocymba leuckarti, sagitta p. 8, Leloup (1).

Chelophyes appendiculata p. 10, Leloup (1).

Chondrophoridae discussed p. 1, PICARD.

Chuniphyes multidentata p. 12, LELOUP (1).

Cladonema pacifica **sp. n.** p. 24 fig. S. Sakhalin, [NAUMOV] Trav. Inst. zool. Acad. Sci. U.R.S.S. **18** 1955.

†Clathrocoilona abcona p. 189 fig., [Khalfina].

†Clathrodictyon vesiculosum p. 153 fig., praetenerum p. 188 fig., [Khalfina].—C. variolare p. 36 fig., vesiculosum p. 37 fig., [YAVORSKY].

Clytia cylindrica p. 107, VANNUCCI.— C. cylindrica p. 69 fig., VANNUCCI & RIBEIRO.

Codonium princeps Haeckel is Sarsia princeps p. 150, Kramp (1).

Colobonema sericeum p. 416, BLACK-BURN.

Conis cyclophthalma Haeckel is Oceania armata p. 152, Kramp (1).

Cordylophora [as Cordilophora (sic)] caspia forma typica p. 67 fig., forma albicola p. 70 fig., RINGUELET & OLIVIER.

Craspedacusta sowerbyi p. 114, iseana p. 117 fig., OCHIDA.

Cryptolarella abyssicola p. 121 fig., KRAMP.

Cunina octonaria p. 422, rubiginosa, duplicata p. 423, BLACKBURN.

Cytaeis nigritina p. 153 and macrogaster Haeckel p. 154 are tetrastyla, KRAMP (1).

Dimophyes arctica p. 8, LELOUP (1).

Diphyes bojani, dispar p. 10, LELOUP

Dynamena crisioides forma typica p. 115, Vannucci.—D. tubuliformis p. 354 fig., Yamada (1).

Enneagonum hyalinum p. 7, LELOUP (1).

Eucodonium brownei a sp. of Oceanii-dae p. 95, Picard (3).

Eudendrium carneum p. 101 fig., capillare p. 105, VANNUCCI.

Eudoxoides mitra, spiralis p. 11, LELOUP (1).

Eutonina indicans p. 157, Kramp (1). Galetta australis p. 9, Leloup (1).

Geminella subtilis p. 116 fig., VAN-NUCCI.

†Gerronostroma elegans p. 187 fig. concentrica p. 187 fig., [KHALFINA].

Geryonia proboscidalis p. 413, BLACK-BURN.

Glossocodon lutkenii Haeckel is Liriope tetraphylla p. 159, KRAMP (1).

Grammaria abietina p. 124 fig., YAMADA.

Haliscera conica p. 419, Blackburn. Haliscera conica p. 419, Blackburn.

Halistaura cellularia p. 119, MAG-GINITIE.

Halitrephes valdiviae p. 420, BLACK-BURN.

Hebella scandens p. 114, VANNUCCI.— H. pocillum p. 122 fig., YAMADA. †Heptastylopsis ramosa p. 31 fig., Kolosváry.

†Heterastriidae p. 29, Kolosváry.

†Heterastridium sp. p. 31 fig., Kolos-VÁRY.

Heterotheca p. 356 fig., YAMADA (1).

Hippocrene platygaster is a sp. of Bougainvillia p. 155, Kramp (1).

Hippopodius hippopodius p. 6, LELOUP (1).

Hydractinia altispina p. 215 fig., kaffraria p. 217 fig., **spp. n.** S. Africa, MILLARD Ann. S. Afr. Mus. 41 5 1955.

Hydractinidae p. 28, Kolosváry.

Hydroidea p. 28, Kolosváry.

Irene [sic] viridula Haeckel is Eutonina indicans p. 157, Kramp (1).

†Labechioidae p. 29, Kolosváry.

Lafoea fruticosa p. 123 fig., Yamada.

Lafoeina maxima p. 118, MACGINITIE.

Laodice cruciata Haeckel is undulata p. 156, Kramp (1).

Lensia conoidea, fowleri, hotspur, lelouveteau, multicristata p. 11, subtilis, subtilides p. 12, Leloup (1).

Limnocnida tanganyicae p. 229 fig., BOUILLON.—L. tanganyicae p. 28 fig., DEKEYSER.

Liriope tetraphylla p. 414, BLACKBURN.
—L. rosacea Haeckel, and crucifera
Haeckel are tetraphylla p. 159, KRAMP
(1).

†Lovcenipora dobrogiaca p. 253 fig., Atanasiu & Semaka.—? L. sp. p. 227, [Moiseev].

Macrorhynchia philippina p. 118, VAN-

Margelis principis Haeckel is Bougainvillia principis and B. superciliaris p. 154, Kramp (1).

Mesonema pensile Haeckel p. 157 and macrodactyla Haeckel p. 158 are both Aequorea macrodactyla, Kramp (1).

Milleporidae p. 28, Kolosváry.

†Milleporidiidae p. 29, Kolosváry.

†Milleporidium cf. somaliense p. 317, Hudson.—M. remesi p. 31 fig., sp. p. 32 fig., Kolosváry.

Mitrophyes peltifera p. 5 fig., LELOUP (1).

Monotheca obliqua p. 355 fig., Yamada (1).

Muggiaea atlantica p. 9, kochi p. 10, Leloup (1).

Nectalia loligo p. 14, LELOUP (1).

Nectopyramis thetis p. 5, Leloup (1).

Nemopsis heteronema Haeckel is Bougainvillia principis p. 155, KRAMP (1).

Neoturris pileata p. 153, Kramp (1).

Obelia sp. p. 119, MagGinitie.— O. bicuspidata p. 108 fig., commissuralis, griffini p. 110, Vannucci.—O. hyalina medusa p. 55 fig., griffini p. 55, Van-Nucci (1).

Oceania armata, sp. p. 152, Kramp (1).

Orchistoma steenstrupi Haeckel is pileus p. 157, KRAMP (1).

Orthophyxis crenata p. 111, billardi nom. n. (for crenata Billard non Hartlaub) p. 112 fig. Brazil, Vannucci Bol. Inst. oceanogr. S. Paulo 5 1–2 1954.

Pandea saltatoria p. 151, conica p. 152, Kramp (1).

Pantochogon haeckeli p. 416, BLACK-BURN.

†Parastromatopora minutissima p. 319, HUDSON.

Pectyllis arctica Haeckel is Ptychogastria polaris p. 158, Kramp (1).

Pegantha discussed, martagon, triloba, laevis p. 160, clara p. 161, Kramp (1).

Pegasia sieboldii is probably Pegantha triloba p. 159, Kramp (1).

Pennaria fragilis p. 99, VANNUCCI.

Pentatheca gen. n. (fam. Plumulariidae) p. 21, type sp. (by original designation) angulifera sp. n. p. 21 fig. Byssol Straits and Kurile Islands, [NAUMOV] Trav. Inst. zool. Acad. Sci. U.R.S.S. 18 1955.

Persa incolorata p. 418, BLACKBURN.

Physalia physalis p. 15, Leloup (1).

Physophora hydrostatica p. 14, LELOUP (1).

Plumularia setacea p. 356 fig., Yamada (1).

Porpita porpita p. 16, LELOUP (1).

† ? Promillepora sp. p. 31 fig., Kolos-Váry.

Pteronematidae discussed p. 1, Pigard.

Ptychogastria polaris p. 158, KRAMP (1).

Ptychogena pinnulata Haeckel is lactea p. 157, Kramp (1).

Rathkea fasciculata Haeckel is a sp. of Köllikerina p. 155, KRAMP (1).—R. octopunctata p. 118, MACGINITIE.

Rhopalonema velatum p. 414, BLACK-BURN.

Rosacea cymbiformis p. 5 fig., plicata p. 6, Leloup (1).

Sarsia princeps p. 150, tubulosa p. 151, Kramp (1).—S. flammea p. 117, princeps, tubulosa p. 118, MacGinitie.

Schizotricha billardi p. 118, VAN-NUCCI.

Sertularia marginata forma typica p. 115, VANNUCCI.—S. distans p. 355 fig., YAMADA (1).

†Shuqraia arabica p. 316, Hudson.— S. arrabidensis p. 705 fig., Hudson (1).

Sminthea eurygaster p. 415, Black-Burn.

Solmaris rhodoloma p. 421, BLACK-BURN.

Solmissus marshalli p. 424, Black-Burn.

Solmundella bitentaculata p. 422, Blackburn.

†Sphaeractinidae p. 29, Kolosváry. †Spongiomorpha sp. p. 182, Kolosváry (1).

†Spongiomorphida p. 30, Kolosváry.

Staurophora mertensi p. 156, Kramp (1).

Staurostoma laciniata Haeckel is Staurophora mertensi p. 156, Kramp (1).

Steenstrupia galanthus Haeckel is nutans p. 151, Kramp (1).

Stephanomia amphitridis, rubra p. 13, LELOUP (1).

Stomotoca pterophylla p. 151, Kramp (1).

†Stromatocerium diagnosed p. 5, rugosum p. 7 fig., Galloway & St. Jean.

†" Stromatopora" douvillei p. 315 fig., cf. harrarensis, cf. choffati p. 318, Hudson.—S. arrabidensis a sp. of Shuqraia p.

705 fig., Hudson (1).—S. typica p. 154 fig., concentrica p. 189 fig., hüpschii p. 189 fig., [Khalfina].

†Stromatoporella sniatkovi p. 190 fig., loutouguini p. 190 fig., duplex sp. n. p. 191 fig. Devonian W. Siberia, [Khalfina] Atlas of the leading forms of the fossil fauna and flora of Western Siberia 1 1955.

†Stromatoporoidea p. 29, Kolosváry.—S. discussed p. 232, [Moiseev].

Stylaster gemmascens p. 22, Boschma. S. roseus p. 134 fig., erubescens p. 136, Boschma (1).

Stylasteridae p. 29, Kolosváry.

Sulculeolaria monoica p. 8, quadrivalvis p. 9, Leloup (1).

Tetraplatia volitans p. 332 fig., HAND (3).

Thaumantias eschscholtzii Haeckel is Tiaropsis multicirrata p. 156, Kramp (1).—T. raridentata p. 111, Vannucci.

Thuiaria elegans, ? lonchitis p. 119, MACGINITIE.

Thyroscyphoides **gen. n.** (fam. Sertulariidae) p. 19, type sp. (by original designation) biformis **sp. n.** p. 19 fig. Iturup Island, Kurile Islands, [NAUMOV] Trav. Inst. zool. Acad. Sci. U.R.S.S. 18 1955.

Tiara pileata, conifera Haeckel is Catablema vesicarium, reticulata Haeckel is Pandea conica p. 152, Kramp (1).

Tiaropsis multicirrata p. 156, Kramp (1).

Trachymedusan unident. p. 120, MACGINITIE.

Tubularia larynx p. 333 fig., HAWES.

Turris digitalis Haeckel is Neoturris pileata p. 153, KRAMP (1).

Velella spirans p. 15, LELOUP (1).

Vogtia glabra, serrata, spinosa p. 7, LELOUP (1).

Zygophylax cornucopia **sp. n.** p. 219 fig. S. Africa, Millard Ann. S. Afr. Mus. 41 5 1955.

†GRAPTOLITHINA

Archiretiolitinae **subfam. n.** (of Retiolitidae) p. V88, Bulman *in* R. C. Moore Treatise on Invertebrate Paleontology **V** 1955.

Barrandeograptus operculatus p. 397 fig., Kühne.

Bithecocamaridae **fam. n.** p. V42, Bulman *in* R. C. Moore Treatise on Invertebrate Paleontology **V** 1955.

Calyptograptus nom. correct. (for Calyptograpsus) p. V41, Bulman in R. C. Moore Treatise on Invertebrate Paleontology V 1955.

Chaunograptidae **fam. n.** p. V36, Bulman *in* R. C. Moore Treatise on Invertebrate Paleontology **V** 1955.

Climacograptus spiniferus p. 692 fig., typicalis p. 693 fig., spp. p. 693 fig., CLARK & STRACHAN.—C. rectangularis p. 152 fig., [KHALFIN].

Corynoides sp. p. 697 fig., Clark & Strachan,

Cryptograptus cf. tricornis p. 697 fig., CLARK & STRACHAN.

Cucullograptus pazdroia senior synonym of Monograptus eunebeni p. 400, KÜHNE.

Cyrtograptus nom. conserv. (for Cyrtograpsus) p. V93, Bulman in R. C. Moore Treatise on Invertebrate Paleontology V 1955.—C. (Cyrtograptus) lundgreni p. 51 fig., murchisoni var. bohemicus p. 52 fig., rigidus p. 53 fig., raidus p. 54 fig., grayi p. 54 fig., Malinowska.—C. p. 37, rigidus subsp. A subsp. n. (sie) p. 37 fig. Silurian Canadian Arctic, Thorsteinsson Geol. Mag. 92 1 1955.

Cysticamaridae **fam. n.** p. V42, Bulman *in* R. C. Moore Treatise on Invertebrate Paleontology **V** 1955.

Dichograptus nom. correct. (for Dichograpsus) p. V78, Bulman in R. C. Moore Treatise on Invertebrate Paleontology V 1955.

Dicranograptus cf. nicholsoni p. 692 fig., CLARK & STRACHAN.

Dictyonema alexanderi **sp. n.** p. 700 fig. Devonian Oklahoma, Decker J. Paleont. **29** 4 1955.

Didymograptus hirundo p. 63 fig., patulus p. 63 fig., jakovlevi sp. n. p. 64 fig. Ordovician Siberia, robustus p. 65 fig., suecicus p. 65 fig., euodus p. 66 fig., liber p. 67 fig., [Keller & Lisogor] Trav. Inst. géol. S.S.S.R. 154 1954.—D. bifidus p. 151 fig., [Khalfin].

Diplograptus cf. molestus p. 696 fig., cf. multidens var. compactus p. 696 fig., CLARK & STRACHAN.—D. obuti sp. n. p. 72 fig. Ordovician Siberia, [Keller & Lisogor] Trav. Inst. géol. S.S.S.R. 154 1954.—D. tamariscus p. 152 fig., [Khalfin].—D. moyeroensis sp. n. p. 138 fig., modestus sibirica subsp. n. p. 138 fig., Llandoverian Siberia, [Obut] Field Atlas Ord. & Sil. Fauna of the Siberian Platform 1955.

Diversograptus ramosus var. bohemicus p. 55 fig., Malinowska.

Glyptograptus dentatus p. 71 fig., teretiusculus p. 72 fig., [Keller & Lisogor].—G. tamariscus p. 137 fig., [Obut] (1).

Hedrograptus janischewskyi p. 137 fig., [Obut].

Isograptus p. 67, victoriae p. 68 fig., divergens p. 69 fig., valeriani **sp. n.** p. 69 fig. Ordovician Siberia, [Keller & Lisogor] Trav. Inst. géol. S.S.S.R. 154 1954.

Lasiograptidae **fam. n.** p. V87, Bulman *in* R. C. Moore Treatise on Invertebrate Paleontology **V** 1955.

Lasiograptus eucharis p. 696, Clark & Strachan.

Leptograptus? sp. ind. p. 838 fig., Whittington.

Linograptus posthumus p. 108 fig., longebrachiatus p. 109 fig., Hemmann.— L. posthumus p. 55 fig., Malinowska.

Mediograptus see Monograptus.

Monoclimacis griestoniensis var. kettneri p. 44 fig., cf. var. minuta p. 44 fig., geinitzi p. 45 fig., hemipristis p. 45 fig., linnarssoni p. 46 fig., vomerina var. subgracilis p. 46 fig., var. vomerina p. 47 fig., MALINOWSKA.—M. asiatica p. 99 fig., alaica p. 99 fig., [OBUT].

Monograptus sp. (ex aff. micropoma) p. 273 fig., EISENACK.—M. (Monograptus) lobiferus bulgaricus, M. (Streptograptus) pseudobecki p. 24, Flügel.—M. (Monograptus) lobiferus bulgaricus p. 481, M. (M.?) halli? p. 481, M. (Streptograptus) admirandus p. 482, cf. nodifer p. 483, Flügel (4).—M. hercynicus subsp. praehercynicus nom. nud. p. 418, JAEGER.—M. distans p. 152 fig., [KHALFIN].—M. dubius p. 360 fig., haupti sp. n. p. 365 fig. Silurian Germany, gerhardi sp. n. p. 368 fig. Silurian Germany,

colonus p. 370 fig., chimaera p. 372 fig., micropoma p. 379 fig., bohemicus p. 382 fig., nilssoni p. 384 fig., eunebeni sp. n. p. 386 fig. Silurian Germany (a junior synonym of Cucullograptus pazdroi p. 400), cf. aversus p. 389 fig., scanicus p. 391 fig., parascanicus sp. n. p. 392 fig. Silurian Germany, sp. p. 395 fig., Kühne Neues Jb. Geol. Paläont. Abh. 100 3 1955.—M. (Monograptus) flemingii var. flemingii p. 36 fig., holmi p. 36 fig., marri p. 37 fig., priodon p. 37 fig., scanicus p. 38 fig., var. testis var. inornatus p. 38 fig., var. testis var. inornatus p. 40 fig., M. (Streptograptus) crispus p. 40 fig., exiguus var. exiguus p. 41 fig., nodifer p. 41 fig., M. (Mediograptus) kolihai var. kolihai p. 42 fig., M. cultellus p. 42 fig., irfonensis p. 43 fig., Varians var. pumilus p. 43 fig., Malinowska.—M. incommodus p. 139 fig., [Obut (1)].

Neurograptus cf. margaritatus p. 696 fig., Clark & Strachan.

Orthograptus calcaratus cf. var. acutus p. 693 fig., cf. calcaratus var. cornutus p. 693 fig., cf. intermedius p. 695 fig., cf. peosta p. 695 fig., cf. pageanus var. micranthus p. 696 fig., Clark & Strachan.

Petalograptinae **subfam. n.** (of Diplograptidae) p. V87, Bulman in R. C. Moore Treatise on Invertebrate Paleontology **V** 1955.

Petalograptus validation p. V87, Bulman.

Petalolithus palmeus palmeus p. 25, Flügel.—P. elongatus elongatus? p. 479, elongatus linearis p. 480, Flügel (4).—P. palmeus palmeus p. 30 fig., tenuis p. 30 fig., Malinowska.

Phormograptus gen. n. (? fam. Retiolitidae) p. 846, type sp. (by original designation) sooneri sp. n. p. 847 fig. Ordovician Oklahoma, Whittungton J. Paleont. 29 5 1955.

Phyllograptus walkeri p. 62 fig. [Keller & Lisogor].

Pipiograptus **gen. n.** (fam. Diplograptidae) p. 839, type sp. (by original designation) hesperus **sp. n.** p. 841 fig. Ordovician Oklahoma, Whittington J. Paleont, **29** 5 1955.

Plectograptus macilentus p. 31 fig., MALINOWSKA.

Pleurograptus nom. conserv. (for Pleurograpsus) p. V83, Bulman in R. C. Moore Treatise on Invertebrate Paleontology V 1955.

Pristiograptus (Pristiograptus) tumescens tumescens p. 22, cf. kosoviensis p. 23, variabilis p. 25, Flügel.—P. (Pristiograptus) frequens p. 58 fig., Malinowska.—P. gregarius angusta subsp. n. p. 138 fig. Llandoverian Siberia, concinnus p. 139 fig., [Obut] in [Nikiforova Field Atlas Ord. and Sil. Fauna of the Siberian Platform] 1955.

Pseudoclimacograptus cf. extremus p. 31 fig., MALINOWSKA.—P. hughesi p. 137 fig., [OBUT] (1).

Pseudoplegmatograptus obesus obesus p. 32 fig., cf. obesus reticulatus p. 32 fig., cf. obesus relictus p. 33 fig., MALINOWSKA.

Rastrites carnicus p. 484, longispinus nafizi subsp. n. p. 485 fig. Silurian Turkey, Flügel Neues Jb. Geol. Paläont. Monats. 1955 B11 1955.—R. peregrinus p. 152 fig., longispinus [as longinspinus (sic)] p. 152 fig., [Khalfin].—R. carnicus p. 56 fig., distans p. 56 fig., linnaei p. 57 fig., maximus p. 57 fig., Malinowska.

Retiolites (Retiolites) geinitzianus var. angustidens p. 33 fig., var. geinitzianus p. 34 fig., var. densereticulatus p. 34 fig., R. (Stomatograptus) grandis var. grandis p. 35 fig., var. maior p. 35 fig., Malinowska.

Ruedemannograptus p. V37, genolectotype chosen Streptograptus rectangularis p. V37, BULMAN.

Spirograptus planus p. 483, Flügel (4).—S. flagellaris p. 47 fig., planus p. 48 fig., proteus p. 48 fig., spiralis var. contortus p. 49 fig., var. spiralis p. 50 fig., turriculatus var. minor p. 50 fig., var. turriculatus p. 51 fig., Malinowska.

Stolonodendridae **fam. n.** p. V43, Bulman *in* R. C. Moore Treatise on Invertebrate Paleontology **V** 1955.

Stomatograptus see Retiolites.

Streptograptus rectangularis genolectotype of Ruedemannograptus p. V37, BULMAN.—S. see Monograptus.

Tetragraptus similis p. 61 fig., [Keller & Lisogor].

Trigonograptus ensiformis p. 74 fig., praelongus **sp. n.** p. 74 fig. Ordovician Siberia, [Keller & Lisogor] Trav. Inst. géol. S.S.S.R 154 1954.

SCYPHOZOA

Aurelia flavidula Haeckel is limbata polo 164, Kramp (1).—A. spp. p. 120. MacGinitie.

Cassiopea frondosa p. 165, Kramp (1).—C. [as Cassiopeia (sic)] andromeda p. 243 fig., Schäfer.

Charybdea marsupialis p. 162, KRAMP (1).

Chiropsalmus quadrigatus p. 162, KRAMP (1).—C. quadrumanus p. 120 fig., VANNUCCI.

Chrysaora sp. p. 121, MACGINITIE.—C. mediterranea, blossevillei, fulgida and plocamia are synonyms of hysoscella pp. 123, 125 fig., callipara and chinensis are synonyms of helvola p. 125, gilbertia is a synonym of melanaster p. 125, VANNUCCI.

Cotylorhiza tuberculata p. 166, C.? (Stylorhiza?) Haeckel is Mastigias ocellata p. 166, Kramp (1).

Cramborhiza flagellata Haeckel is Lychnorhiza lucerna p. 167, Kramp (1).

Cyanea arctica Haeckel is capillata p. 164, Kramp (1).—C. spp., capillata p. 120, MacGinitie.

Linerges pegasus and mercuris both of Haeckel are Linuche unguiculata p. 162, draco p. 163, Kramp (1).

Liniscus sandalopterus Haeckel is Linuche unguiculata p. 163, cyamopterus Haeckel is Nausithoë punctata p. 163, Kramp (1).

Linuche unguiculata pp. 162, 163, Kramp (1).

Lychnorhiza lucerna p. 167, Kramp (1).—L. lucerna p. 128, Vannucci.

Mastigias ocellata p. 166, papua p. 167, Kramp (1).

Nausithoë punctata p. 163, Kramp (1).

Netrostoma coerulescens p. 165, KRAMP (1).

Pelagia perla and phosphora p. 163 and cyanella p. 164 all of Haeckel are all noctiluca, KRAMP (1).

Periphylla hyacinthina Haeckel is periphylla p. 161, Kramp (1).

Polyclonia frondosa Haeckel is a sp. of Cassiopea p. 165, KRAMP (1).

Polyrhiza vesiculosa Haeckel is Netrostoma coerulescens p. 165, Kramp (1).

Stenoptycha dactylometra Haeckel is Cyanea capillata p. 164, Kramp (1).

Stephanoscyphus simplex, allmani p. 58, DAWYDOFF.—S. simplex p. 123 fig., bianconis a junior synonym of simplex p. 125, KRAMP.

Stomolophus fritillaria Haeckel is meleagris var. fritillaria p. 165, agaricus is meleagris p. 166, Kramp (1).—S. meleagris p. 126 fig., Vannucci.

Stylorhiza see Cotylorhiza.

Versura palmata Haeckel is Mastigias ocellata p. 166, Kramp (1).

ANTHOZOA

ALCYONARIA

Acanella arbuscula p. 30, Broch.

† Actinotheca discussed p. 226, Montanaro-Gallitelli (2).

Alcyonium palmatum adriaticum p. 88 fig., PAX & MÜLLER.—A. digitatum, palmatum palmatum, palmatum adriaticum p. 123, brioniense p. 124, PAX & MÜLLER (1).—A. palmatum adriaticum p. 10 fig., brioniense p. 12 fig., PAX & MÜLLER (2).—A. altum p. 199 fig., caparti p. 204 fig., globosum p. 208 fig., gruveli p. 212 fig., laeve p. 216 fig., laxum p. 219 fig., miniatum p. 223 fig., monodi p. 225 fig., patulum p. 230 fig., pobeguini p. 234 fig., strictum p. 237 fig., violaceum p. 242 fig., spp. n. tropical W. Africa, Tixier-Durivault Rés. Scient. Expéd. Océanogr. Belg. Eaux Côt. Afr. 3 4 1955.—A. gracillimum p. 45 fig., Utinomi.

Caligorgia kinoshitae pl. 4, BAYER.

Capnella glomerata p. 27, Broch.

Cavernularia elegans p. 389, Buchanan. —C. pusilla p. 125, Pax & Müller (1).

Clavularia (Cornulariella) arctica p. 26, Broch.

Corallium imperiale p. 208 fig., ducale p. 210 fig., **spp. n.** Guadalupe Island, BAYER Proc. U.S. nat. Mus. 105 1955.—C. rubrum p. 39 fig., PAX & MÜLLER (2).

Cornularia cornucopiae p. 87, PAX & MÜLLER.

Cornulariella see Clavularia.

Ctenocella sp. pl. 5, BAYER.

Ellisella replaces Scirpearia p. 215, BAYER.

Éllisellidae discussed p. 214, BAYER.

Eunephthya rubiformis p. 121, MAC-GINITIE.

Eunicea mammosa the type sp. of Eunicea p. 212, Bayer Proc. U.S. nat. Mus. 105 1955.

Eunicella verrucosa p. 40 fig., var. typica, var. stricta p. 40, PAX & MÜLLER (2).

Funiculina quadrangularis p. 125, PAX & MÜLLER (1).—F. quadrangularis p. 68 fig., PAX & MÜLLER (2).

Gersemia rubiformis rubiformis p. 28, rubiformis fruticosa p. 29, Broch.

Gorgonella discussed p. 214, BAYER.

Gorgonia antipathes var. β and suffruticosa are spp. of Rumphella p. 212, umbraculum the type sp. of Verrucella p. 215, BAYER.

†Graphularia discussed p. 217, wetherelli p. 217 fig., BAYER.—G. (?) sasai sp. n. p. 288 fig. Eo-Oligocene Japan, YABE Proc. Japan Acad. 31 5 1955.

Heliopora coerulea p. 62, DAWYDOFF.

Ifalukella gen. n. (fam. Ifalukellidae) p. 213, type species (by original designation) yanii sp. n. p. 213 fig. Caroline Islands, BAYER Proc. U.S. nat. Mus. 105 1955.

Ifalukellidae **fam. n.** p. 213, BAYER Proc. U.S. nat. Mus. 105 1955.

Isididae discussed p. 216, BAYER.

Isis hippuris p. 216 fig., sp. p. 218 fig., BAYER.

†Isis danae, compressa, sp. 1 p. 211, and ? I. brevis p. 212 are spp. of Parisis, BAYER.

Juncella sp. pl. 5, BAYER.

Kophobelemnon stelliferum p. 125, Pax & Müller (1).

Litophyton viscidum sp. n. p. 57 fig. Japan, Utinomi Publ. Seto Mar. biol. Lab. 4 1 1954.

Lobophytum batarum p. 53 fig., UTINO-MI.

Metallogorgia melanotrichos pl. 4, BAYER.

† Micralcyonarites manip. n. p. 1329 footnote, type (by author's designation) vulgaris cent. n. pp. 1328, 1329 fig., fusticulus p. 1328 fig., fusunculus p. 1328 fig., scopula p. 1328 fig., perverru-

cosus p. 1328 fig., alloiteaui p. 1328 fig., clava p. 1328 fig., laminosus p. 1328 fig., hystrix p. 1328 fig., corrallioides p. 1328 fig., verticillatus p. 1328 fig., pedigerus p. 1328 fig., speciosus p. 1328 fig., tripes p. 1328 fig., cornutitergum p. 1328 fig., centt. n. Miocene Australia, gallicus cent. n. p. 1328 fig. Eocene France, cretacea p. 1329, Deflandre-Rigaud C.R. Acad. Sci. Paris 241 19 1955.

Microspicularia a junior synonym of Sphaerella p. 207, BAYER.—M. digitulata p. 47 fig., arborea sp. n. p. 50 fig. Japan, Utinomi Publ. Seto Mar. biol. Lab. 4 1 1954.

Nephthea chabrolii p. 59 fig., crassa p. 60 fig., erecta p. 61 fig., capnelliformis p. 63 fig., setoensis **sp. n.** p. 65 fig. Japan, Utinomi Publ. Seto Mar. biol. Lab. 4 1 1954.

†Nephthya cretacea is a Micralcyonarites p. 1329 footnote, Deflandre-Rigaud.

 $\it Nidalia\ rigida\ p.\ 43\ fig.,\ dofleini\ p.\ 45\ fig.,\ Utinomi.$

Parerythropodium coralloides p. 124, Pax & Müller (1).

†Parisis danae, compressa, sp. pp. 211, 218 fig., P. ? brevis p. 212, BAYER.

Pennatula phosphorea variegata, phosphorea rubella p. 126, PAX & MÜLLER (1).

Plexaura aggregata the type sp. of Rumphella p. 212, BAYER.

Plumigorgia discussed p. 213, hydroides p. 214 fig., wellsi **sp. n.** p. 214 fig. Marshall Islands, BAYER Proc. U.S. nat. Mus. 105 1955.

†Pragnellia discussed p. 226, Montanaro-Gallitelli (2).

Primnoisis antarctica p. 216 fig., BAYER.

†Pteridinium simplex p. 246 fig., RICHTER.

Pteroeides spinosum p. 127, Pax & Müller (1).—P. spinosum p. 68 fig., var. brevispinosa, var. longespinosa p. 68, Pax & Müller (2).

†Pteroeides argenteum p. 300 fig., BAYER (1).

†Rangea schneiderhöhni p. 264 fig., RICHTER.

Rhizoxenia rosea a sp. of Zoantha p. 87, Pax & Müller.

Riisea sp. p. 215 fig., BAYER.

Rumphella gen. n. (fam. Plexauridae) p. 212, type species (by original designation) Plexaura aggregata p. 212 fig. Flores Sea, etc., antipathes var. β, suffruticosa p. 212, BAYER Proc. U.S. nat. Mus. 105 1955.

Sarcophyton [as Sarcophytum (sic)] ehrenbergi p. 124, digitatum p. 125, glaucum p. 126, latum p. 127, Tixier-Durivault.—S. acutangulum p. 51, elegans p. 52 fig., Utinomi.

Scirpearia discussed p. 215, BAYER.

Sinularia polydactyla p. 121, simpsoni p. 122, leptoclados p. 123, Tixier-Durivault.—S. gardineri p. 50 fig., Utinomi.—S. sp. p. 17 fig., Wells.

†Sinularia sp. p. 17, Wells.

Sphaerella discussed, a senior synonym of Microspicularia p. 207, BAYER.

Stylatula discussed p. 217, sp. p. 217 fig., BAYER.

Suberia clavaria the type sp. of Tripalea p. 208, BAYER.

†Trachypsammacea **ord. n.** p. 224, Montanaro-Gallitelli Atti Accad. Modena (5) **13** 1955.

† Trachypsammia discussed p. 224, Montanaro-Gallitelli (2).

Tripalea gen. n. (fam. Anthothelidae) p. 208, type species (by original designation) Suberia clavaria p. 208 E. coast of S. America, BAYER Proc. U.S. nat. Mus. 105 1955.

Tubipora musica p. 124, PAX & MÜLLER (1).

Umbellula encrinus р. 30, Вкосн.

Veretillum cynomorium p. 388, Buchanan.—V. cynomorium p. 90 fig., Pax & Müller.—V. cynomorium p. 125, Pax & Müller (1).—V. cynomorium p. 67 fig., Pax & Müller (2).

Verrucella discussed, genolectotype chosen umbraculum p. 215, sp. pl. 5, BAYER Proc. U.S. nat. Mus. 105 1955.

Virgularia p. 217, sp. p. 217 fig., BAYER.—V. presbytes sp. n. p. 295 fig. Gulf of Mexico, mirabilis Bayer non Müller is presbytes p. 295, BAYER J. Wash. Acad. Sci. 45 9 1955.—V. glacialis, tuberculata p. 32, BROCH.—V. rumphii, sp. p. 389, BUCHANAN.—V. mirabilis mirabilis p. 126, PAX & MÜLLER (1).

†Virgularia presbytes sp. n. p. 295 fig. Eocene Trinidad, sp. p. 300, BAYER J. Wash. Acad. Sci. 45 9 1955.

Xenia kusimotoensis p. 263 fig., fimbriata p. 265 fig., spp. n. Japan, Utinomi Publ. Seto Mar. biol. Lab. 4 2-3 1955.

Xiphigorgia anceps p. 262 fig., RICHTER. Zoantha Lesson non Dana validity discussed, rosea p. 87 Pax & Müller.

†TABULATA

Palaeozoic Tabulata of European Russia, [Sokolov (3)].

Acidolites sp. p. 249 fig., HILL.

Alveolites maillieuxi p. 200 fig. [Kraevskaya].

Aulopora diagnosed p. 251, sp. p. 251 fig., HILL.—A. sibirica p. 202 fig., [Kraevskaya].

Billingsaria discussed p. 246, banksi sp. n. p. 246 fig. Ordovician Tasmania, HILL Proc. roy. Soc. Tasmania 89 1955.—B. lepida p. 26 fig., [Sokolov (2)].

Billingsariinae diagnosed p. 246, Hill.

Calapoecia anticostiensis p. 29 fig., [SOKOLOV (2)].

Calapoeciinae diagnosed p. 248, Hill.

Cambrophyllum **gen. n.**, type species (by original designation) problematicum **sp. n.** p. 181 fig. Upper Cambrian Montana, Fritz & Howell J. Paleont. 29 1 1955.

Catenipora p. 21, escharoides pp. 25, 29, gracilis p. 36 fig., elegans p. 40, quadrata p. 41, microporus p. 44 fig., quebecensis p. 46 fig., simplex p. 47 fig., agglomeratiformis p. 49, chillagoensis p. 57, robustus, delicatulus p. 58, pulchellus, cylindricus, nicholsoni p. 59, gracilis var. borealis, sapporiensis p. 60, sindoensis p. 61, minimus p. 62, aequabilis p. 63, huronensis, irregularis p. 64, rassmusseni p. 65, BUEHLER.

Chaetetes milleporaceus p. 2, Flügel (1).—C. rotundus p. 278 fig., Flügel (2).—C. nagativaensis sp. n. p. 190 fig. Carboniferous Japan, asiatica validity discussed p. 191, sp. ind. p. 192, C.? sp. 193, Minato J. Fac. Sci. Hokkaido Univ. 49 2 1955.

Chaetetidae discussed p. 71, [Soko-Lov (1)].

Cladochonus sp. p. 314, FLÜGEL (3).

Cleistopora discussed p. 6, typa gorbyi comb. n. p. 6 fig., typa typa comb. n. p. 6, typa winchelli comb. n. p. 6, Carboniferous U.S.A., Jeffords Paleont. Contr. Univ. Kans. Coel. Art. 3 1955.

Cleistoporidae discussed p. 5, Jeffords (1).

Coccoseridinae diagnosed p. 249, Hill.

Coccoseris ramosa sp. n. p. 249 fig. Ordovician Tasmania, HILL Proc. roy. Soc. Tasmania 89 1955.

Cryptolichenaria miranda p. 27 fig., [Sokolov (2)].

Cyrtophyllum laxum p. 34 fig., lambeiforme p. 34 fig., [SOKOLOV (2)].

Desmidopora multitabulata sp. n. p. 1057 fig. Silurian New South Wales, FITZGERALD J. Paleont. 29 6 1955.

Dictyofavosites see Favosites.

Emmonsia discussed p. 272, hemispherica p. 274, heritschi **sp. n.** p. 275 fig. Devonian Turkey, Flügel N. Jb. Geol. Paläont. Abh. 101 2 1955.

Eofletcheria diagnosed p. 251, contigua p. 251 fig., ida p. 252 fig., spp. n. Ordovician Tasmania, HILL Proc. roy. Soc. Tasmania 89 1955.

Favosites antipertusus p. 268 fig.» bohemicus p. 269 fig., hemisphericus p. 274, Flügel (2).—F. hisingeri p. 156 fig., gothlandicus p. 156 fig., forbesi p. 156 fig., placentus p. 192 fig., aculeatus p. 192 fig., festivus p. 193 fig., obliquespinus p. 193 fig., var. zolotainskii var. n. p. 193 fig. Devonian W. Siberia, polymorphus p. 194 fig., var. cronigera p. 194 fig., rzonsnickyae p. 194 fig., brusnitzini p. 195 fig., porfirievi p. 195 fig., endygaschensis p. 196 fig., goldfussi p. 196 fig., petrovitchi sp. n. p. 196 fig. Devonian W. Siberia, F. (Dictyofavosites) salairicus p. 197 fig., [KRAEVSKAYA] Atlas of the leading forms of the fossil fauna and flora of Western Siberia 1 1955 [see p. 192 for authorship of spp. n.].—? F. pichanensis sp. n. p. 40 fig. Ordovician Argentina, Rusconi Rev. Mus. Hist. nat. Mendoza 8 1–4 1955.—F. favosus p. 31 fig., [SOKOLOV (2)].

Halysites p. 21, catenularia pp. 24, 28, labyrinthica, p. 29 fig., attenuata, dichotoma p. 30, macrostoma, stenostoma, jacovickii p. 31, approximata, communicans p. 32, dissimilis, distans, exilis p. 33, reticulata p. 34, meandrina p. 34 fig., michelini p. 35, agglomerata p. 35 fig., sexto-catenatus, parallelus p. 38, cavernosa, regularis p. 39, obliqua p. 40, compactus p. 41 fig., harti, fieldeni p. 43, nexus p. 45 fig., keveerlingi p. 45 amblituketa. 45 fig., keyserlingi p. 45, amplitubata p. 48 fig., nitida p. 49 fig., radiatus, lithostrotionoides p. 50, orthopteroides p. 51, sussmilchi p. 52, cratus p. 53, australis, pycnoblastoides p. 54, peristephesicus p. 55, gamboolicus p. 56, gotlandicus, hupehensis p. 57, catenularius var. borealis p. 61, lata, taimyrica p. 62, pseudoorthopteroides p. 63, kuliki p. 65, brownsportensis p. 65 fig., encrustans sp. n. p. 66 fig. Silurian Canada, infundibuliformis sp. n. p. 67 fig. Silurian New York State, magnitubus sp. n. p. 68 fig. Silurian U.S.A., Buehler Bull. Peabody Mus. 8 1955.

Hayasakaia nankingensis p. 314 fig., Flügel (3).

Heliolites decipiens p. 158 fig., interstinctus p. 158 fig., vulgaris p. 202 fig., yavorskyi p. 202 fig., insolens p. 203 fig., tomensis p. 203 fig., porosus p. 204 fig., nagorskyi sp. n. p. 204 fig. Devonian W. Siberia, gluchovi sp. n. p. 205 fig. Devonian W. Siberia, salairicus p. 205 fig., khovosčeviensis sp. n. p. 205 fig. Devonian W. Siberia, [Kraevskaya] Atlas of the leading forms of the fossil fauna and flora of Western Siberia 1 1955 [see p. 192 for authorship of spp. n.].

Heliolitida p. 32, [Sokolov (2)].

Heliolitidae diagnosed p. 249, Hill. —H. discussed p. 66, [Sokolov (1)].

Kueichowpora setamaiensis **sp. n.** p. 188 fig. Carboniferous Japan, Minato J. Fac. Sci. Hokkaido Univ. 49 2 1955.

Lichenaria ramosa **sp. n.** p. 241 fig. Ordovician Tasmania, HILL Proc. roy. Soc. Tasmania **89** 1955.

Lovcenipora see Hydrozoa.

Lyopora cf. favosa p. 248 fig., Hill.

Michelinia tenuisepta p. 299 fig., megastoma p. 299 fig., [FOMITCHEV].—
M. discussed p. 181, M. (Protomichelinia) multitabulata p. 182 fig., MINATO (1).—M. cornuformis sp. n. p. 99 fig. Carboniferous Great Kozhva

River (tributary of the R. Petchora), [VOINOVSKII-KRIGER] Ann. All-Russian Palaeont. Soc. 13 1949.

Multisolenia tortuosa p. 31 fig. [Sokolov (2)].

Nyctopora discussed p. 246, zeehanensis sp. n. p. 247 fig. Ordovician Tasmania, sp. p. 247 fig., ?N. sp. p. 247 fig., Hill Proc. roy. Soc. Tasmania 89 1955.

Palaeacis discussed p. 8, bifida p. 10 fig., enormis pp. 9, 10 fig., kingi sp. n. p. 11 fig. Carboniferous Texas, Jeffords Paleont. Contr. Univ. Kans. Coel. Art. 3 1955.

Palaeofavosites paulus p. 30 fig., alveolaris p. 31 fig., [SOKOLOV (2)].

Palaeohalysites gothlandicus p. 155 fig., parallelus p. 155 fig., [Kraevskaya].—P. anikeevi p. 30 fig., [Sokolov (2)].

Parastriatopora p. 32 fig., [Sokolov (2)].

Paratetradium mangaseicum p. 27 fig., [Sokolov (2)].

Plasmoporella diagnosed p. 250, sp. p. 250 fig., Hill.

Plasmoporinae diagnosed p. 250,

Pleurodictyum siyangensis p. 312 fig., Flügel (3).

Propora diagnosed p. 250, cf. *hirsuta* p. 250 fig., HILL.

Pseudoromingeria p. 185, kotoi p. 186 fig., Minato (1).

Rhabdotetradium nobile p. 28 fig., [SOKOLOV (2)].

Roemeria sp. p. 277 fig., FLÜGEL (2).

Saffordophyllum discussed p. 247, Hill.

Schizocorallia discussed p. 61, [Sok-olov (1)].

Sibiriolites sibiricus p. 33 fig., [Soko-Lov (2)].

Squameofavosites bohemicus p. 198 fig., [Kraevskaya].

Striatopora kuznetskiana p. 200 fig., [Kraevskaya].

Syringophyllidae diagnosed p. 246, Hill.

Syringopora ramulosa p. 300 fig., [FOMITCHEV].—S. eifeliensis p. 201 fig., yavorskyi p. 201 fig., [KRAEVSKAYA].—

S. cf. reticulata p. 186, sp. ind. p. 188 fig., MINATO (1).

Tetradiidae discussed p. 63, [Soko-LOV (1)].

Tetradium petaliforme **sp. n.** p. 242 fig., tasmaniense p. 243 fig., compactum sp. n. p. 244 fig., dendroides sp. n. p. 244 fig., conjugatum sp. n. p. 245 fig., cf. syringoporoides p. 245 fig., sp. p. 245 fig., Ordovician Tasmania, HILL Proc. roy. Soc. Tasmania 89 1955.

Thamnopora vermicularis p. 271, FLÜ-GEL (2). -T. cervicornis p. 199 fig., alta p. 199 fig., [Kraevskaya].—T.? nipponica p. 184 fig., chaetoidea p. 185 fig., MINATO (1).

Tollina evemkiana p. 29 fig., [Soko-Lov(2)].

ZOANTHARIA

† Acanthastraea [as Acanthastrea (sic)] hillae sp. n. p. 15 fig. Subfossil Queensland, Wells Pap. Dep. Geol. Univ. Qd. N.S. 4 10 1955.

† Acanthocyclus p. 6, porpitoides p. 4 fig., fletcheri p. 6 fig., JEFFORDS.

† Acanthogyra columnaris p. 197 fig., A. ? subcompressa p. 197, GEYER.

Acontiaria subtribe of Thenaria tribe of the Nynantheae p. 189, HAND (2).

Acropora formosa, implicata, variabilis, digitifera, cymbicyathus, surculosa p. 9, hyacinthus, spicifera, cf. pagoensis p. 10,

†Acropora haindingeri [sic] p. 378 fig., pseudo-lavandulina sp. n. p. 379 fig., pachymorpha sp. n. p. 380 fig., Oligocene France, CHEVALIER Bull. Soc. Hist. nat. Toulouse 90 3-4 1955.-A. formosa, implicata, variabilis, digitifera, cymbicyathus, surculosa p. 9, hyacinthus, spicifera, cf. pagoensis p. 10, Wells.

†Acrosmilia thurmanni p. 206, Geyer. —A. p. 334, thurmanni p. 335 fig., GEYER (1).

† Actinastraea [as Actinastrea (sic)] p. 319, crasso-ramosa p. 320 fig., matheyi p. 321, ramulifera p. 321 fig., trochiformis, furcata p. 321, GEYER (1).

Actinia equina equina p. 65 fig., cari p. 68 fig., Pax & Müller.—A. equina equina p. 118, cari p. 119, PAX & MÜLLER (1).

Actiniaria p. 355, Hand.

Actiniarian sp. p. 103, CARLGREN. Actiniidae p. 38, HAND (1).

Actinothoe clavata p. 80, PAX & Müller.

Adamsia palliata p. 79 fig., Pax & Müller.

Aiptasia mutabilis p. 75 fig., diaphana p. 76, Pax & Müller.—A. couchii p. 119, diaphana p. 120, PAX & MÜLLER (1).

Aiptasiomorpha a synonym of Diadumene p. 223, HAND (2).

† Akiyosiphyllum p. 167, stylophorum p. 167 fig., MINATO (1).

†Alveopora polyacantha p. 69 fig., OSBERGER (1).

Amphianthus [as Amphiantus (sic)] dohrnii p. 121, Pax & Müller (1).

†Amphiastraea [as Amphiastrea (sic)] basaltiformis p. 187 fig., Geyer.— A. [as Amphiastrea (sic)] piriformis p. 326, Geyer (1).

†Amphiastraeida [as Amphiastreida (sic)] p. 187, Geyer.

†Amphiastraeinae [as Amphiastreinae (sic)] p. 187, GEYER.

†Amphiaulastrea (sic) **gen. n.** (fam. Amphiastraeidae) p. 188, type sp. (by original designation) Aulastraea conferta p. 188 fig. Jurassic Czechoslovakia, Geyer Paläont. Z. 29 3-4 1955.

†Amplexus nipponensis p. 69 fig., sp. b p. 70 fig., MINATO (1).

†Amygdalophyllum naosoidea p. 145 fig., A.? gracile p. 146, A. setamaiensis p. 147 fig., sp. a p. 147 fig., sp. b p. 148 fig., giganteum p. 149 fig., MINATO (1).

Andresia partenopea p. 64, Pax & MÜLLER.

Anemonia sulcata p. 69 fig., cinerea a sp. of Paranemonia p. 71, Pax & MÜLLER.—A. sulcata p. 119, PAX & MÜLLER (1).

†Anisocoenia crassisepta p. 60 fig., OSBERGER (1).

Anthopleura p. 46, xanthogrammica p. 48 fig., elegantissima p. 54 fig., artemisia p. 61 fig., HAND (1).—A. ballii p. 73, Pax & Müller.

†*Antillia* p. 51, sp. p. 53 fig., sp. ? (sic) p. 54, OSBERGER (1).—A. miocenica sp. n. p. 188 Miocene India, Sahni & SASTRY Curr. Sci. 24 6 1955.

Antipathes subpinnata p. 103 fig. myriophylla p. 105 fig., dichotoma dichotoma p. 106 fig., virgata p. 106 fig., glaberrima p. 107, ericoides p. 107 fig., reticulata p. 108, PAX & MÜLLER (1).

†Aplosmiliinae **subfam. n.** (of Rhipidogyridae) p. 196, Geyer Paläont. Z. **29** 3–4 1955.

Arachnactis albida p. 1 fig., LELOUP.

†Arachnolasma see Lophophyllum.

†Archaeoseris thamnastroides a sp. of Latimaeandra p. 679, ALLOITEAU (1).

†Arcophyllum pp. 43, 78, typus p. 79 fig., markovi p. 79 fig., [Soshkina (1)].

†*Aspidiscus sinaiticus* p. 154 fig., Menéndez-Amor & Martínez.

†Astraea fröhlichiana p. 116 fig., Zbyszewski.

Astraeopora [as Astreopora (sic)] incrustans p. 10, Wells.

† Astraeopora [as Astreopora (sic)] incrustans p. 10, Wells.

Astrangia woodsi **sp. n.** p. 15 fig. Queensland, Wells Pap. Dep. Geol. Univ. Qd. N.S. 4 10 1955.

†Astrangia woodsi sp. n. p. 15 Subfossil Queensland, Wells Pap. Dep. Geol. Univ. Qd. N.S. 4 10 1955.

†Astrocoeniinae p. 319, Geyer (1).

†Astrophyllum pp. 47, 82, irgislense p. 83 fig., philocrinum p. 83 fig., [Sosh-kina (1)].

Athenaria tribe of the Nynantheae p. 358, Hand.

†Aulacophyllidae **fam. n.** p. 34, [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. **34** 1951.—A. pp. 32, 34, 44, 67, [Soshkina (1)].

†Aulacophyllum pp. 44, 67, originatum p. 67 fig., armenicum sp. n. p. 68 fig. Devonian Armenia, septatum p. 68 fig., murale sp. n. p. 68 fig. Devonian Russian Platform, ornatum sp. n. p. 69 fig. Devonian Russian Platform, miniarense p. 69 fig., vesiculatum p. 69 fig., [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 39 1952.—A. p. 23, vesiculatum p. 24 fig., ornatum p. 27 fig., murale p. 30 fig., [Soshkina (3)].

†Aulastraea [as Aulastrea (sic)] p. 189, conferta the type sp. of Amphiaulastrea (sic) p. 188, Geyer.

Aureliania heterocera p. 74 fig., PAX & MÜLLER.—A. heterocera p. 499 fig., PARIS.

†Axocyathus punctatus p. 115 fig., RONCHETTI.

†Axophyllum gracile a sp. of Amyg-dalophyllum p. 146, MINATO (1).

†Axosmilia cylindrica p. 191 fig., infundibuliformis p. 192, Geyer.—A. crassa, corallina p. 326, carrapateirensis p. 327, Geyer (1).

†Axosmiliidae **fam. n.** p. 191, Geyer Paläont. Z. 29 3–4 1955.

Balanophyllia verrucaria p. 87, Pax & Müller.

†Balanophyllia soloensis **sp. n.** p. 255 fig. Pliocene Java, Osberger N. Jahrb. Geol. Paläont. Monats. 1955 B6.

†Barrandeophyllum p. 27, perplexum p. 28 fig., [Soshkina].—B. pp. 45, 65, perplexum p. 65 fig., [Soshkina (1)].

†Baryphyllum pp. 10, 12, ovale, pedunculatum, tennesseense p. 12, verneuilianum p. 13 fig., Jeffords.

†Bathycyathus matheroni **sp. n.** p. 396 fig. Oligocene France, Chevalier Bull. Soc. Hist. nat. Toulouse **90** 3–4 1955.

†Bojocyclus p. 10, bohemicus pp. 8, 10 fig., Jeffords.

†Brachyelasma (Dybowskia) sibiricum sp. n. p. 22 fig. Silurian Siberia, [Nikolaeva] in [Nikiforova Field Atlas Ord. and Sil. Fauna of the Siberian Platform] 1955.

Bunodactis verrucosa, rubripunctata p. 72, Pax & Müller.

Cactosoma p. 367, arenaria p. 368 fig., HAND.

†Calamophyllia compressa p. 252 fig., Atanasiu & Semaka.—C. cervina, crassa p. 331, Geyer (1).—C. marksi p. 207 fig., Osberger.—C. marksi sp. n. p. 54 fig. Younger Tertiary Java, Osberger Neues Jb. Geol. Paläont. Abh. 101 1 1955.—C. miocenica sp. n. p. 188 Miocene India, Sahni & Sastry Curr. Sci. 24 6 1955.

†Calamophylliidae p. 330, Geyer (1).

†Calamoseris disputabilis p. 204 fig., Geyer.—C. flabellum, simplex, variabilis p. 332, Geyer (1).

†Calceola sandalina var. acuminata p. 208 fig., [Kraevskaya].—C. pp. 45, 72, sandalina westfalica p. 73 fig., sandalina sandalina p. 73 fig., sandalina acuminata p. 73 fig., [Soshkina (1)].

Calliactis parasitica p. 77 fig., PAX & MÜLLER.—C. parasitica p. 120, PAX & MÜLLER (1).

†Campophyllidae discussed p. 44, [Soshkina].—C. pp. 34, 46, 87, [Soshkina (1)].

†Campophyllum? sp. ind. p. 174, Minato (1).—C p. 50, soetenicum p. 50 fig., boreale sp. n. p. 51 fig. Devonian Urals, [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 34 1951.—C. pp. 46, 88, boreale p. 88 fig., soetenicum p. 88 fig., litvinovitshae p. 89 fig., [Soshkina (1)].

†Caninia cylindrica p. 301 fig., ussovi p. 302 fig., [FOMITCHEV]. — C. juddi var. ozawai var. n. p. 230 fig. Carboniferous Japan, Minato J. Sigenk. Kenk. 1 2 1943.—C. juddi var. ozawai p. 70 fig., Minato (1).

†Carcinophyllum onukii sp. n. p. 140 fig. Carboniferous Japan, Minato J. Fac. Sci. Hokkaido Univ. 49 2 1955.— C. cristatum the type sp. of Wannero-phyllum p. 159, Schouppé & Stagul.

Caryophyllia cyathus p. 86, Pax & Müller.

†Caryophyllia antonibensis p. 113 fig., arcotensis, cupuliformis p. 114, cf. laevigata p. 115, Ronchetti.—C. calcitrapa p. 246 fig. (Conspectus p. 85), kongieli sp. n. p. 251 fig. (Conspectus p. 87) Lower Eocene Poland, Różkowska Acta geol. polon. 5 2 1955.

Caryophylliida p. 328, Geyer (1).

†Caryosmilia granosa p. 119 fig., RONCHETTI.

†Ceratophyllia p. 49, javana sp. n. p. 50 fig. Younger Tertiary Java, cristata? p. 51 fig., Osberger Neues Jb. Geol. Paläont. Abh. 101 1 1955.—G. javana p. 207 fig., Osberger.

†Ceratotrochus punctatus is a sp. of Axocyathus p. 115, RONCHETTI.

Cereus pedunculatus p. 82 fig., PAX & MÜLLER.—C. pedunculatus p. 122, PAX & MÜLLER (1).

Cerianthus? borealis p. 122, MACGINITIE.—C. membranaceus p. 59, PAX & MÜLLER.—C. membranaceus p. 110, PAX & MÜLLER (1).

†Charactophyllum p. 68, antiquum p. 68 fig., lateseptatum sp. n. p. 69 fig. Devonian Urals, elongatum p. 71 fig., spongiosum p. 71 fig., [SOSHKINA] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 34 1951.—C. pp. 46, 90, antiquum p. 91 fig., spongiosum p. 91 fig., latiseptatum p. 91 fig., elongatum p. 91 fig., [SOSHKINA].

Cladocora cespitosa p. 84 fig., Pax & Müller.

†Cladocora prevostana p. 42, CHAPUT.

†Cladophyllia dichotoma p. 325, Geyer (1).

†Clisaxophyllum ofukensis p. 136 fig., awa p. 137 fig., Minato (1).

†Clisiophyllidae discussed p. 94, Minato (1).

†Coccophyllum sp. p. 181, Kolosváry (1).

†Coelocoenia vacua p. 47, torulosa p. 48, OSBERGER (1).

†Coelosmilia laxa p. 103 fig., Ron-

Coenocyathus anthophyllites p. 86, PAX & MÜLLER.

†Columactinastraea [as Columactinastraea (sic)] favulus p. 182 fig., Geyer.

†Columnaphyllia gen. n. (fam. Axosmiliidae) p. 192, type sp. (by original designation) tithonica sp. n. p. 192 fig. Jurassic Czechoslovakia, Geyer Paläont. Z. 29 3-4 1955.

†Columnaria p. 86, junkerbergiana p. 87 fig., cacotropia p. 88 fig., spp. n. Devonian Germany, GLINSKI Senckenbergiana Lethaea 36 1-2 1955.—C. vulgaris p. 216 fig., rhenana p. 216 fig., [KRAEVSKAYA].—C. pp. 45, 91, massivum p. 92 fig., minor p. 92 fig., vulgaris p. 92 fig., floriformis p. 92 fig., symbiotica p. 92 fig., [SOSHKINA (1)].

†Columnariacea discussed p. 91, [Soshkina].

†Columnariidae pp. 33, 45, 91 [Soshkina (1)].

†Combophyllum pp. 10, 14, osismorum p. 10 fig., Jeffords.

†Comophyllia corrugata p. 678 fig., thamnastroides p. 679, Alloiteau (1).—C. meandrinoides p. 333 fig., Geyer (1).

†Comoseris meandrinoides p. 335, kobyi sp. n. p. 335 fig. Jurassic Portugal, Geyer Senckenbergiana Lethaea 35 5-6 1955.—C. javana a sp. of Pachyseris p. 254, OSBERGER (2).

Condylactis aurantiaca p. 64 fig., PAX & MÜLLER.

†Confusastraraea djunggranganensis p. 206 fig., Osberger.

†Conophyllia sp. p. 181, recondita pannonica **subsp. n.** p. 182 Triassic Hungary, Kolosváry Acta biol. Szeged N.S. 11–41955.

†Convexastraea [as Convexastrea (sic)] minima, pustulosa p. 324, lobata p. 325, abadiensis **sp. n.** p. 325 fig. Jurassic Portugal, Geyer Senckenbergiana Lethaea 35 5-6 1955.

Corallimorphidae p. 348, HAND.

†Corwenia hasimotoi a sp. of Huangia p. 123, C.? omiensis p. 129 fig., MINATO (1).

Corynactis p. 348, californica p. 349 fig., HAND.

Coscinaraea columna p. 11, Wells.

†Coscinaraea columna p. 11, Wells.

?Craspedophyllia sp. p. 181, Kolosváry (1).

†Cryptocoenia picteti p. 251 fig., Atanasiu & Semaka.

Culicia tenella p. 14, verreauxi p. 15, Wells.

†Cumminsia p. 8, aplata pp. 6, 8 fig., Jeffords.—C. p. 4, C. ? sp. A p. 5 fig., Jeffords (1).

†Cyathacyis nom. nud. p. 94, [Sosh-KINA (4)].

†Cyathophora globosa p. 186, pironae p. 186, GEYER.

†Cyathophylloid coral gen. et sp. ind. p. 174 fig., MINATO (1).

†Cyathophyllum sp. ind. p. 238 fig., Minato.—C. sp. ind. p. 174 fig., Minato (1).

Cycloseris cyclolites p. 11, Wells.

Cyphastraea [as Cyphastrea (sic)] serailia, microphthalma p. 14, Wells.

†Cyphastraea gerthi p. 206 fig., Os-BERGER.—C. rembangensis, tubifera p. 56, progoensis, gemmulifera, sp. p. 57, OSBERGER (1).—C. [as Cyphastrea (sic)] serailia, microphthalma p. 14, WELLS.

†Cystiphyllidae pp. 32, 42, 75, [Soshkina (1)].

†Cystophora manchurica forma kikkawai p. 92 fig., Minato (1).

† Deltocyathus staszici **sp. n.** p. 243 fig. (Conspectus p. 84), Różkowska Acta geol. polon. **5** 2 1955.

†Dendracis mamillosa p. 381 fig., CHEVALIER (1).

†Dendrohelia coalescens p. 185 fig., GEYER.

†Depasophyllum p. 80, aff. gracile p. 84, Minato (1).

†Dermoseris delgadoi, diceratina p. 335, GEYER (1).

†Dermosmilia glomerata, laxata, rugosa p. 202, Geyer.—D. glomerata p. 331, Geyer (1).

Diadumene p. 222, leucolena p. 223 fig., franciscana sp. n. p. 230 fig. Central California, lighti sp. n. p. 237 fig. Central California, HAND Wasmann J. Biol. 13 2 1955.—D. luciae p. 74 fig., PAX & MÜLLER.

Diadumenidae p. 222, HAND (2).

†Dialythophyllum pp. 43, 82, burhenni p. 82, complicatum p. 82 fig., vilvense p. 82 fig., [Soshkina (1)].

†Dibunophyllum bristolense p. 222 fig., cf. bristolense p. 224 fig., yüi sp. n. p. 224 fig., inugasirayamaensis sp. n. p. 225 fig., sp. a p. 226 fig., sp. b p. 226 fig., carboniferous Japan, Minato J. Sigenk. Kenk. 1 2 1943.—D. cf. kankouense p. 96 fig., bristolense p. 97 fig., inugasirayamaensis' p. 98 fig., asiaticum nom. n. for vaughani Yü non Garwood & Goodyear p. 98 fig. Carboniferous China and Japan, sp. ind. p. 100 fig., rugosum var. ofukensis a sp. of Clisaxophyllum p. 136, sp. b Minato is a sp. of Amygdalophyllum p. 148, Minato J. Fac. Sci. Hokkaido 49 2 1955.

†Dictyaraea elegans p. 403 fig., var. clinactinia p. 404 fig., garauxi sp. n. p. 404 fig., gaasensis sp. n. p. 405 fig., poritoides sp. n. p. 406 fig., Oligocene France, Chevalier Bull. Soc. Hist. nat. Toulouse 90 3-4 1955.—D. micrantha spinosa p. 68 fig., Osberger (1).

†Digonophyllum pp. 43, 80, schulzi p. 80 fig., bilaterale p. 80 fig., [Sosh-KINA (1)].

†Dimorphastraea [as Dimorphastrea (sic)] conica, dubia p. 208, GEYER.

†Diphyphyllum p. 80, equiseptatum p. 81 fig., platiforme var. kakisakoense p. 83 fig., flexuosum p. 83 fig., Minato (1).—D. minus is a sp. of Peneckiella p. 106, [Soshkina].

†Diploastraea reussii sp. n. p. 252 fig. Oligocene Java, Osberger N. Jahrb. Geol. Paläont. Monats. 1955 B6.

†Diplocoenia profunda p. 194, multisepta p. 194, GEYER.

†Dipterophyllum p. 10, glans p. 10 fig., JEFFORDS.

†Disphyllum densum a junior synonym of Schlüteria fascicularis p. 94 [Sosh-kina].—D. sp. p. 358 fig., Yabe & Suzuki.

†Donia gen. n. (fam. Peneckiellidae) p. 114, type sp. (by original designation) russiensis sp. n. p. 114 fig. Devonian Orlovskaya Province, Russia, [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 34 1951.—D. pp. 46, 106, russiensis p. 106 fig., [Soshkina (1)].—D. p. 42, russiensis p. 42 fig., [Soshkina (3)].

†Dorlodotia sp. ind. p. 237 fig., MINATO.—D. discussed pp. 85, 86, D. ? sp. ind. p. 91 fig., MINATO (1).

†Dungulia milneri p. 121 fig., Ron-

†Dybowskia see Brachyelasma.

†Echinophyllia robusta p. 59, Os-BERGER (1).

†Echinopora gracilis p. 206 fig., OSBERGER.—E. gracilis sp. n. p. 64 fig. Younger Tertiary Java, OSBERGER Neues Jb. Geol. Paläont. Abh. 101 1 1955.

Edwardsia callimorpha p. 62, PAX & MÜLLER.

†Enallhelia striata p. 187 fig., GEYER.— E. tubulosa p. 326, GEYER (1).

Endomyaria subtribe of Thenaria tribe of the Nynantheae p. 38, Hand (1).

†Endophyllidae pp. 34, 44, 69, [Soshkina (1)].

†Endophyllum abditum p. 228 fig., macconnelli p. 228 fig., [IVANIA].— E. pp. 44, 69, [SOSHKINA (1)].

† Eolithostrotionella see Lithostrotion.

Epiactis p. 39, prolifera p. 39 fig., HAND (1).

Epismilia sp. p. 253 fig., Atanasiu & Semaka.

†Epistreptophyllum commune p. 202, tithonicum sp. n. p. 203 fig. Jurassic Czechoslovakia, Geyer Paläont. Z. 29 3-4 1955.—E. montis, typicum p. 332, Geyer (1).

Epizoanthus arenaceus ingeborgae p. 61 fig., tergestinus p. 62, PAX & MÜLLER.— E. arenaceus ingeborgae p. 112, fatuus p. 113, PAX & MÜLLER (1).

†Eupsammia pożaryskii **sp. n.** p. 257 fig. (Conspectus p. 89) Lower Eocene Poland, Różkowska Acta geol. polon. 5 2 1955.

Evactis a synonym of Anthopleura p. 46, HAND (1).

†Evenkiella nom. nud., helenae nom. nud. p. 94, [Soshkina (4)].

†Fasciphyllum petshorense p. 215 fig., [Kraevskaya].—F. pp. 47, 97, semi-septatum p. 97 fig., medianum p. 97 fig., halliaforme p. 97 fig., petshorense p. 97 fig., platiforme p. 98 fig., conglomeratum p. 98 fig., orientale p. 98 fig., cylindricum sp. m. p. 98 fig. Devonian Urals, prismaticum p. 98 fig., schlüteri p. 98 fig., [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 39 1952.

Favia speciosa p. 12 fig., stelligera p. 12 fig., Wells.

†Favia pentalofonensis sp. n. p. 198 fig. Miocene Greece, Chevalier Bull. Soc. géol. Fr. 6 5 1-3 1955.—F. speciosa p. 63 fig., Osberger (1).—F. speciosa, stelligera p. 12, Wells.

Faviida p. 329, Geyer (1).

*Favistella dybowski nom. nud. p. 94, [Soshkina (4)].

Favites abdita p. 13 fig., halicora, spectabilis p. 13, Wells.

†Favites oligocenica sp. n. p. 197 fig. Oligocene Greece, Chevalier Bull. Soc. géol. Fr. 6 5 1-3 1955.—F. tenera p. 389 fig., Chevalier (1).—F. virens p. 62, Osberger (1).—F. abdita, halicora p. 13, Wells.

†Favitopsis gen. n. (fam. Faviidae) p. 674, type sp. (by monotypy) harrensis sp. n. p. 675 fig. Jurassic Arabia, Alloiteau Bull. Soc. géol. Fr. 6 4 7-9 1955.

†Fletcheria discussed p. 261, Lang, Smith & Thomas.

†Fletcherina nom. n. for Yabeia Lang, Smith & Thomas non Resser & Endo p. 261, type sp. (by original designation) Cylindrophyllum simplex p. 261 Devonian China, Lang, Smith & Thomas Geol. Mag. 92 3 1955.

†Geyerophyllidae **fam. n.** p. 155 Lower Carboniferous to Permian, MINATO J. Fac. Sci. Hokkaido Univ. 49 2 1955.

†Geyerophyllum discussed p. 157, hunabuseum **sp. n.** p. 158 fig. Permian Japan, gerthi p. 159 fig., MINATO J. Fac. Sci. Hokkaido Univ. 4 9 2 1955.

†Glossophyllum p. 44, altissimum sp. n. p. 45 fig. Devonian Urals, discoideum p. 47 fig., primitivum p. 48 fig., dohmi p. 49, salmense p. 49 fig., [SOSHKINA] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 34 1951.—G. pp. 46, 87, latiseptatum p. 87, altissimum p. 87 fig., discoideum p. 87 fig., salmense p. 87 fig., dohmi p. 88 fig., primitivum p. 88 fig., [SOSHKINA (1)].

†Goniocora socialis p. 198, GEYER.

Goniopora lobata p. 11, stutchburyi sp. n. p. 11 fig. Queensland, Wells Pap. Dep. Geol. Univ. Qd. N.S. 4 10 1955.

†Goniopora affinis p 67 fig, Osberger (1).—G. lobata p. 11, stutchburyi sp. n. p. 11 fig. Subfossil Queensland, Wells Pap. Dep. Geol. Univ. Qd. N.S. 4 10 1955.

†Grypophyllum gracile p. 209 fig., pestereviensis sp. n. p. 209 fig. Devonian W. Siberia, fasciculum sp. n. p. 210 fig. Devonian W. Siberia, [Kraevskaya] Atlas of the leading forms of the fossil fauna and flora of Western Siberia 1 1955 [see p. 192 for authorship of spp. n.].—G. pp. 47, 48, 95, tenue p. 95, gorskyi p. 95 fig., carinatum p. 96 fig., striatum p. 96 fig., isactis p. 96 fig., cynacanthinum p. 96 fig., gracile p. 96 fig., [Soshkina (1)].—G. p. 48, isactis p. 48 fig., [Soshkina (3)].

†Gymnophyllum pp. 10, 13, wardi p. 14 fig., Jeffords.

†Hadrophyllum p. 8, ovale p. 8 fig., orbignyi p. 8 fig., pedunculatum and tennesseense are spp. of Baryphyllum pp. 6, 12 fig., H.? romingeri p. 6 fig., pauciradiatum p. 6 fig., bifidum p. 6 fig., nauvocense p. 6 fig., delicatum p. 6 fig., Jeffords.

Halcampa p. 359, decemtentaculata sp. n. p. 360 fig. Central California, HAND Wasmann J. Biol. 12 3 1954.— H. duodecimcirrata p. 122, MACGINITIE.

Halcampidae p. 359, HAND.

Haliplanella gen. n. (fam. Haliplanellidae) p. 210, type sp. (by monotypy) Sagartia luciae p. 211 fig. Connecticut, etc., HAND Wasmann J. Biol. 13 2 1955.

Haliplanellidae **fam. n.** p. 210, HAND Wasmann J. Biol. **13** 2 1955.

†Haplaraea [as Haplarea (sic)] p. 208, columnaris p. 209 fig., Geyer.

†Heliastraea bainbridgensis var. kastoriae var. n. p. 199 fig. Miocene Greece, Chevaller Bull. Soc. géol. Fr. 6 5 1-3 1955.—H. cf. ellisiana p. 115, reussi p. 115 fig., Zbyszewski.

†Heliophyllum discussed, aiense p. 73, [Soshkina].—H. pp. 46, 90, halli p. 90 fig., aiense p. 90 fig., [Soshkina (1)].

†Heritschia chitralica p. 307 fig., parachishiaensis p. 308 fig., cf. parachishiaensis p. 309, sp. p. 310, H.? sp. p. 310 fig., Flügel (3).

†Heterophyllia [as Hetrophyllia (sic)] kitakamiensis p. 177 fig., MINATO (1).

†Hexagonaria prisma p. 67 fig., Carman.—H. p. 90, pachytheca sp. n. p. 90 fig., rohrensis sp. n. p. 93 fig., subsp. brevisepta subsp. n. p. 95 fig., parallaxa sp. n. p. 96 fig., philomena sp. n. p. 98 fig., quadrigemina p. 100 fig., amanshauseri sp. n. p. 105 fig., Devonian Germany, GLINSKI Senckenbergiana Lethaea 36 1–2 1955.

†Hexaphyllia elegans p. 175 fig., japonica p. 176 fig., sp. ind. p. 176 fig., MINATO (1).

Hormathia coronata p. 120, PAX & MÜLLER (1).

Hormathiid species p. 102 fig., CARLGREN.

†Huangia discussed p. 122, hasimotoi p. 123 fig., H. ? sp. p. 125 fig., Minato (1).

Hydnophora exesa p. 14, WELLS.

† Hydnophora exesa p. 14, Wells.

†Hydnophyllia [as Hyanophyllia (sic)] rothpletzi p. 206 fig., OSBERGER.

Ilyanthus mitchellii p. 63 fig., PAX & MÜLLER.

†Indosmilia cf. bantamensis p. 46, OSBERGER (1).

†*Iranophyllum permicum* **sp. n.** p. 115 fig. Permian Japan, Minato J. Fac. Sci. Hokkaido Univ. 49 2 1955.

Isanthidae p. 87, HAND (1).

†Isastraea favulus a sp. of Columactinastraea p. 182, Geyer.—I. ex gr. austriaca p. 231 fig., [Moiseev].

† Isastrocaenia sp. p. 676 fig., Alloi-TEAU (1).

†Keriophylloides gen. n. (fam. Peneckiellidae) p. 102, type sp. (by original designation Keriophyllum astreiforme p. 102 fig., [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 34 1951.—K. pp. 45, 102, astraeiformis p. 102 fig., [Soshkina (1)].

†Keriophyllum astreiforme the type sp. of Keriophylloides p. 102, [SOSHKINA].

†Khmeria problematica p. 178 fig., MINATO (1).

†Kodonophyllacea discussed p. 44, [Soshkina].

†Kodonophyllidae pp. 33, 45, 72, [Soshkina (1)].

†Kodonophyllum milne edwardsi p. 81 fig., [Soshkina (2)].

†Kologyra kühni sp. n. p. 196 fig. Jurassic Czechoslovakia, Geyer Paläont. Z. 29 3-4 1955.—K. aldingeri sp. n. p. 329 fig. Jurassic Portugal, Geyer Senckenbergiana Lethaea 35 5-6 1955.

†Kueichouphyllum p. 170, latifossulatum p. 170 fig., yabei p. 172 fig., kesenense **sp. n.** (= yabei var. a) p. 172 fig., yahagiense **sp. n.** p. 172 fig., Carboniferous Japan, Minato J. Fac. Sci. Hokkaido Univ. 49 2 1955.

†Latimaeandra corrugata a sp. o Comophyllia p. 678, Alloiteau (1).— L. [as Latomeandra (sic)] dubia p. 203, Geyer. †Latiphyllia dimorphastreoides sp. n. p. 200 fig. Jurassic Czechoslovakia, Geyer Paläont. Z. 29 3-4 1955.

†Leonardophyllum? sp. p. 127 fig., Minato (1).

†Leptoseris sibolongensis p. 206 fig., OSBERGER.

†Lindströmia pp. 44, 64, [Soshkina (1)].

†Lindströmiidae discussed p. 23, [Soshkina].—L. pp. 33, 44, 64, [Soshkina (1)].

†Lingulosmilia p. 327, emarginata p. 327, Geyer (1).

†Lithophyllia spinosa p. 51, Osberger. (1).

†Lithostrotion [Eolithostrionella] sibiricum p. 303 fig., L. irregulare var. balachonkaensis var. n. p. 304 fig Carboniferous W. Siberia, [FOMITCHEV] Atlas of the leading forms of the fossil fauna and flora of Western Siberia 1 1955.—L. somaense p. 77 fig., hinozuchiense sp. n. p. 78 fig. Carboniferous Japan, sp. p. 79, MINATO J. Fac. Sci. Hokkaido Univ. 49 2 1955.

†Lithostrotionella discussed pp. 85, 86, sp. ind. p. 87 fig., kitakamiensis sp. n. p. 88 fig. Carboniferous Japan, cf. tingi p. 89, MINATO J. Fac. Sci. Hokkaido Univ. 49 2 1955.

Lobophyllia corymbosa p. 15, Wells.

†Lobophyllia corymbosa p. 15, Wells.

†" Lonsdaleia" katoi p. 128 fig., MINATO (1).

†Lonsdaleiastraea nipponica sp. n. p. 134 fig. Permian Japan, yamanbaensis p. 135 fig., MINATO J. Fac. Sci. Hokkaido Univ. 49 2 1955.

†Lonsdaleoides discussed p. 162, enormis p. 164 fig., toriyamai sp. n. p. 165 fig. Carboniferous Japan, boswelli p. 166 fig., MINATO J. Fac. Sci. Hokkaido Univ. 49 2 1955.

†Lophocarinophyllum acanthiseptum p. 180 fig., Montanaro-Gallitelli (1).

†Lopholasma pp. 44, 64, carinatum p. 65 fig., [Soshkina (1)].

†Lophophyllidiidae p. 178, Schouppé & Stacul. †Lophophyllidium suetomii sp. n. p. 151 fig. Permian Japan, sp. a p. 153 fig., sp. b p. 154 fig., sp. c p. 154 fig., sp. d p. 155 fig., Minato J. Fac. Sci. Hokkaido Univ. 49 2 1955.—L. p. 178, spinosum p. 182 fig., elongatum p. 186 fig., martini sp. n. p. 187 fig., gracile sp. n. p. 188 fig., parvum sp. n. p. 189 fig., Permian Timor, Schouppé & Stacul Palaeontographica Suppl. 4 5 3 1955.

†Lophophyllum discussed p. 401, konincki p. 406 fig., dumonti p. 410 fig., "L." tortuosum p. 411 fig., Lecompte.—L. (Arachnolasma) cf. sinense p. 141 fig., sp. Onuki is a sp. of Amygdalophyllum, Minato (1).

†Lovcenipora see Hydrozoa.

†Loyolophyllum urense sp. n. p. 217 fig. Devonian W. Siberia, [Kraevskaya] Atlas of the leading forms of the fossil fauna and flora of Western Siberia 1 1955 [see p. 192 for authorship of sp. n.].—L. pp. 47, 96, cresswelli p. 96, cerioides p. 96 fig., [Soshkina (1)].

†Lythophyllum pp. 43, 81, divisum p. 81 fig., striatum p. 81 fig., tabulatum p. 81 fig., [Soshkina (1)].

†Macgeea (Thamnophyllum) hörnesi hörnesi ? p. 267, Flügel (2).—M. discussed p. 80, multizonata p. 80 fig., solitaria p. 82 fig., [Soshkina].—M. pp. 42, 83, caucasica sp. n. p. 84 fig. Devonian Armenia, araxis p. 84 fig., murchisoni p. 84 fig., solitaria p. 84 fig., berdensis p. 84 fig., multizonata p. 84 fig., [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 39 1952.—M. p. 67, multizonata p. 68 fig., [Soshkina (3)].

Madrepora gemmascens discussed p. 29, Boschma.—M. oculata p. 86, Pax & Müller.

†Madrepora duncani p. 68 fig., Os-BERGER (1).—M. lavandula p. 116 fig., ZBYSZEWSKI.

†Maeandraraea [as Meandrarea (sic)] gresslyi p. 336, GEYER (1).

†Maeandrina sp. p. 55, OSBERGER (1).

†Margarastraea sp. ind. p. 232 fig., [Moiseev].

†Margarosmilia zieteni p. 181, Kolos-VÁRY (1). † Mazaphyllum gen. n. (order Cystiphyllina) p. 1052, type sp. (by original designation) cortisjonesi sp. n. p. 1053 fig. Silurian New South Wales, Скоок J. Paleont. 29 6 1955.

†Megaphyllum pashiense p. 220 fig., [IVANIA].—M. p. 108, paschiense p. 109 fig., caespitosum p. 110 fig., [SOSHKINA].—M. pp. 46, 104, columellare sp. n. p. 104 fig. Devonian Russian Platform, arcticum p. 104 fig., juresanense p. 105 fig., paschiense p. 105 fig., caespitosum p. 105 fig., [SOSHKINA] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 391952.—M. p. 36, arcticum p. 37 fig., bulvankerae nom. n. for Prismatophyllum hexagonum Bulvanker p. 38 fig. Devonian Leningradskaya Province, Russia, columellare p. 40 fig., [SOSHKINA] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 52 1954.

†Meniscophyllum longiseptata sp. n. p, 69 fig. Carboniferous Japan, MINATO J. Fac. Sci. Hokkaido Univ. 49 2 1955.

Mesomyaria subtribe of Thenaria tribe of the Nynantheae p. 87, HAND (1).

Metridiidae p. 190, Hand (2).

Metridium p. 191, senile fimbriatum comb. n. p. 192 fig., senile senile p. 203, exilis sp. n. p. 206 fig. Central California, Hand Wasmann J. Biol. 13 2 1955.—M. senile senile p. 76 fig., Pax & Müller.—M. senile marginatum p. 120, Pax & Müller (1).

Microcyathus Döderlein non Hinde renamed Šoljania p. 75, Pax.

† Microcyclus p. 10, discus pp. 8, 10 fig., intermedius p. 8 fig., blairi p. 8 fig., leonensis p. 8 fig., thedfordensis p. 8 fig., lyrulatus p. 8 fig., JEFFORDS.—M. blairi p. 3 fig., JEFFORDS (1).

†Microphyllastraea gen. n. (fam. Montlivaltiidae) p. 676, type sp. (by original designation) karrenbergi sp. n. p. 676 fig. Jurassic Arabia, Alloiteau Bull. Soc. géol. Fr. 6 4 7–9 1955.

† Microphyllia bachmayeri **sp. n.** p. 205 fig. Jurassic Czechoslovakia, Geyer Paläont. Z. **29** 3–4 1955.

†*Microsmilia oppeli* p. 193 fig., fascicularis **sp. n.** p. 194 fig. Jurassic Czechoslovakia, Geyer Paläont. Z. **29** 3–4 1955.

†Microsolena corticata p. 209, fascicularis, cf. bouri p. 210, Geyer.

†Mictophyllum discussed p. 64, modicum a sp. of Neostringophyllum p. 58, [SOSHKINA].

†Mitrodendron ogilviae sp. n. p. 188 fig. Jurassic Czechoslovakia, Geyer Paläont. Z. 29 3-4 1955.

Montipora granulata, turgescens p. 10, Wells.

†Montipora granulata, turgescens p. 10, WELLS.

†Montlivaltia p. 329, thurmanni, truncata, cartieri p. 330, laufonensis p. 330 fig., Geyer (1).—M. sp. p. 182, Kolosváry (1).

Mycedium tubifex p. 16, WELLS.

† Mycedium tubifex p. 16, WELLS.

†? Mycetophyllia stellifera p. 115 fig., ZBYSZEWSKI.

†Nagatophyllum satoi p. 138 fig., MINATO (1).

†Nalivkinella p. 31, minima sp. n. p. 31 fig. Devonian Urals, profunda p. 33 fig., [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 34 1951.—N. pp. 45, 66, minima p. 66 fig., profunda p. 66 fig., [Soshkina (1)].

†Nardophyllum pp. 42, 75, cuneiforme p. 75 fig., vermiforme p. 75 fig., compositum p. 75 fig., [Soshkina (1)].

† Neocolumnaria pp. 47, 99, vagranensis p. 99 fig., biensis p. 99 fig., [Soshkina (1)].

†Neocolumnariidae discussed p. 91, [Soshkina].—N. pp. 34, 47, 99, [Soshkina (1)].

†Neokoninckophyllum sp. ind. p. 100, MINATO (1).

†Neostringophyllum p. 52, isetense sp. n. p. 53 fig. Devonian Urals, modicum p. 58 fig., pronini sp. n. p. 61 fig. Devonian Urals, [Soshkina] Trav. Inst. palaeont. Acad. U.R.S.S. 34 1951.—N. pp. 46, 89, heterophylloides p. 89 fig., pronini p. 89 fig., isetense p. 89 fig., modicum p. 90 fig., difficile p. 90 fig., waltheri p. 90 fig., [Soshkina (1)].

†Nicholsoniella **gen. n.** (fam. Lindströmiidae) pp. 45, 66, type sp. (by monotypy) baschkirica **sp. n.** p. 66 fig. Devonian Urals, [SOSHKINA] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 39 1952.

Nynantheae p. 357, HAND.

†Oligophyllum p. 30, quinqueseptatum p. 30 fig., [Soshkina].—O. pp. 45, 66, quinqueseptatum p. 67 fig., [Soshkina (1)].

† Omphalophyllia yamanbaensis p. 179 fig., MINATO (1).

†Opisthophyllidae **subfam. n.** (of Amphiastraeidae) p. 189, Geyer Paläont. Z. 29 3–4 1955.

†Opisthophyllum p. 189, zitteli p. 189 fig., vesiculare p. 189 fig., minimum p. 189, Geyer.

† Orbicella bumi sp. n. p. 253 fig. Oligocene Java, Osberger N. Jahrb. Geol. Paläont. Monats. 1955 B6.—O. cf. cyclommatos p. 55, borradailei p. 63 fig., Osberger (1).

†Orionastraea sp. p. 92 fig., MINATO (1).

†Ovalastraea [as Ovalastrea (sic)] p. 333, lobata p. 333, GEYER (1).

†Pachyphyllum devoniense p. 227 fig., ibergense p. 227 fig., [IVANIA].—P. discussed p. 84, ibergense p. 86 fig., cinctum p. 88 fig., bowerbanki p. 89 fig., [Soshkina].—P. pp. 42, 86, cinctum p. 86 fig., bowerbanki p. 86 fig., hennahi p. 86 fig., devoniense p. 86 fig., ibergense p. 86 fig., [Soshkina (1)].—P. crassicostatum p. 88 fig., woodmanni p. 88 fig., levatum p. 89 fig., irregulare p. 89 fig., [Soshkina (2)].—P. p. 68, ibergense p. 69, [Soshkina (3)].

†Pachyseris cf. javana p. 254, Os-BERGER (2).

†Palaeosmilia kitakamiensis p. 169 fig., Minato (1).

†Paliphyllum nom. nud., primarius nom. nud. p. 94, [Soshkina (4)].

Palythoa gridellii **sp. n.** p. 133 fig. Ceylon, Pax & Müller Atti Mus. Civ. Stor. nat. **20** 3 (7–8) 1955.

Paraedwardsia abyssorum sp. n. p. 101 fig. tropical mid-Atlantic, Carlgren Rep. Swedish Deep-Sea Exped. 1947–8 2 1 1951.

Paranemonia cinerea p. 71, PAX & MÜLLER.—P. cinerea p. 119, PAX & MÜLLER (1).

Parantipathes larix p. 108 fig., Pax & MÜLLER (1).

†Parasmilia jusani sp. n. p. 397 fig. Oligocene France, Chevalier Bull. Soc. Hist. nat. Toulouse 90 3-4 1955.—P. cf. cylindracea p. 117 fig., granulata p. 118 fig., Ronchetti.—P. helenae sp. n. p. 254 fig. (Conspectus p. 88) Lower Eocene Poland, Różkowska Acta geol. polon. 5 2 1955.

Parazoanthus axinellae adriaticus p. 110, sp. p. 111, PAX & MÜLLER (1).

†Pattalophyllia subcurvata p. 398 fig., CHEVALIER (1).

Peachia hastata p. 63 fig., PAX & MÜLLER.

†Peneckiella darwini p. 219 fig., tabulata p. 219 fig., [IVANIA].—P. discussed p. 103, juresanensis sp. n. p. 104 fig. Devonian Urals, minima p. 106 fig., darwini p. 107 fig., [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 34 1951.—P. pp. 46, 103, nalivkini p. 103 fig., achanaiensis p. 103 fig., tolstichinae sp. n. p. 103 fig. Devonian Russian Platform, jevlanensis sp. n. p. 103 fig. Devonian Russian Platform and Timan, darwini p. 104 fig., minima p. 104 fig., [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 39 1952.—P. p. 32, tolstichinae p. 32 fig., jevlanensis sp. n. p. 35 fig. Devonian Russian Platform, [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 19154.

†Peneckiellidae discussed p. 101, [Soshkina].—P. pp. 34, 45, 102, [Soshkina (1)].

†Petraia sp. p. 63, MINATO (1).

†Petrophylliella javana, trochoides p. 49, OSBERGER (1).

†Phillipsastraea sedgwicki p. 221 fig., lazutkini p. 222 fig., lateseptata sp. n. p. 222 fig. Devonian W. Siberia, pentagona p. 223 fig., micrommata p. 223 fig., [Ivania] Atlas of the leading forms of the fossil fauna and flora of Western Siberia 1 1955.—P. discussed p. 95, ibergense p. 86, cinctum p. 88, and bowerbanki p.89 are spp. of Pachyphyllum (q.v.), sedgwicki p. 96 fig., limitata p. 97 fig., filata p. 98 fig., pengelli [sic] p. 100 fig., [Soshkina].—P. pp. 47, 101, filata p. 101, limitata p. 101 fig., pentagona p. 102 fig., pengelli [sic] p. 102 fig., pentagona p. 102 fig., pengelli [sic] p. 102 fig., Soshkina (1)].—P. p. 45, sedgwicki p. 46 fig., thomasi p. 47 fig., [Soshkina (3)].

†Pholidophyllidae pp. 32, 44, 74, [SOSHKINA (1)].

†Phyllocoenia archiaci Milne-Edwards non Abich re-named Tarbellastraea edwardsi p. 390 fig., ovalis a sp. of Tarbellastraea p. 392 fig., Chevalier (1).

Pindosmilia gen. n. (fam. Stylophyllidae) p. 200, type sp. (by original designation) brunni sp. n. p. 200 fig. Miocene Greece, Chevalier Bull. Soc. géol. Fr. 6 5 1–3 1955.

†*Placophyllia minima* **sp. n.** p. 327 fig. Jurassic Portugal, Geyer Senckenbergiana Lethaea **35** 5–6 1955.

†Placophyllum not a synonym of Fletcheria p. 261, Lang, Smith & Thomas.

†Platycoenia palmata p. 395 fig., Chevalier (1).

Platygyra lamellina, rustica p. 13 astreiformis p. 14, Wells.

†Platygyra lamellina, rustica p. 13, astreiformis p. 14, Wells.

†Platyphyllum pp. 44, 77, europeum p. 77 fig., [Soshkina (1)].

Plesiastraea [as Plesiastrea (sic)] versipora p. 14, Wells.

†Plesiastraea [as Plesiastrea (sic)] versipora p. 14, Wells.

†Plesiophyllum harrensis **sp. n.** p. 679 fig., Jurassic Arabia, Alloiteau Bull. Soc. géol. Fr. 6 4 7–9 1955.

† Pleurophyllia p. 193, gracilis **sp. n.**, p. 193 fig. Jurassic Czechoslovakia, GEYER Paläont. Z. **29** 3–4 1955.

†Pleurosmilia kobyi p. 252 fig., cf. kobyi p. 252 fig., Atanasiu & Semaka.

Pocillopora damicornis p. 9, Wells.

†Pocillopora damicornis p. 9, Wells.

†Polycoelia japonica p. 64 fig., MINATO (1).

†Porites oligocenica sp. n. p. 400 fig., matheroni sp. n. p. 402 fig., var. major var. n. p. 402 fig., Oligocene France, parisiorum tertia decima p. 401 fig., CHEVALIER Bull. Soc. Hist. nat. Toulouse 90 3-4 1955.—P. sp. pp. 59, 67, Osberger (1).—P. incrustana p. 116 fig., Zbyszewski.

†Porpites p. 6, rotuloides p. 4 fig., porpita p. 6 fig., Jeffords.

†Prismatophyllum hexagonum Bulvanker re-named Megaphyllum bulvankerae p. 38 fig., [Soshkina (3)].

†Protoseris? recurvata p. 204, Geyer. —P. robusta p. 333, Geyer (1).

Psammocora (Stephanaria) vaughani p. 10, Wells.

†Psammocora (Stephanaria) vaughani p. 10, Wells.

†Psammogyra voltzi p. 329 fig., Geyer (1).

†Pseudamplexus pp. 45, 73, fascicularis p. 73 fig., biseptatus p. 73 fig., ligeriensis p. 74 fig., quadripartitus p. 74 fig., [SOSHKINA (1)].

†*Pseudocaninia* sp. p. 231 fig., Minato. —*P.* sp. p. 71 fig., Minato (1).

†Pseudochonophyllum pseudohelianthoides p. 218 fig., [Kraevskaya].—P. pp. 48, 98, pseudohelianthoides p. 99 fig., [Soshkina (1)].

†Pseudodorlodotia gen. n. (fam. Lithostrotionidae) pp. 86, 90, type sp. (by original designation) Thysanophyllum longiseptatum p. 86, pseudovermiculare p. 86, kakimii sp. n. p. 90 fig. Carboniferous Japan, Minato J. Fac. Sci. Hokkaido Univ. 49 2 1955.

†Pseudomicroplasma pp. 42, 75, fongi p. 76 fig., uralica p. 76 fig., talicensis sp. n. p. 76 fig. Devonian Urals, [Soshkina] Trav. Inst. palaeont. Acad Sci. U.R.S.S. 39 1952.—P. p. 63, uralicum p. 64 fig., fongi p. 64 fig., [Soshkina (3)].

†Pseudopavona taisyakuana p. 180 fig., MINATO (1).

†Pseudopetraia p. 23, devonica p. 24 fig., geniseptata p. 26 fig., spp. n. Devonian Urals, [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 34 1951.—P. pp. 44, 65, devonica p. 65 fig., geniseptata p. 65 fig., [Soshkina (1)].

†Pseudopisthophyllum gen. n. (fam. Amphiastraeidae) p. 190, type sp. (by original designation) berckhemeri sp. n. p. 190 fig. Jurassic Czechoslovakia, Geyer Paläont. Z. 29 3-4 1955.

†Pseudospongophyllum gen. n. (fam. Spongophyllidae) p. 213, type sp. (by original designation) massivum p. 213 fig., tomense p. 213 fig., spp. n. Devonian W. Siberia, [Kraevskaya] Atlas of

the leading forms of the fossil fauna and flora of Western Siberia 1 1955 [see p. 192 for authorship of gen. et spp. n.].

†Pseudostringophyllum caespitosum is a sp. of Megaphyllum p. 110, [Sosh-KINA].

†Pseudoyatsengia kuzuensis p. 121 fig., Minato (1).

†Pseudozonophyllum pp. 44, 79, halli p. 79 fig., versiforme p. 80 fig., latum p. 80 fig., [Soshkina (1)].

†Ptenophyllidae pp. 34, 47, 82, [Soshkina (1)].

†Pycnostylus guelfensis pp. 81, 84 fig., [Soshkina (2)].

Ragactis pulchra p. 73, Pax & Müller.

†Rhipidogyra alata p. 195 fig., percrassa p. 195, Geyer.—R. costata p. 328, elegans p. 328 fig., Geyer (1).

†Rhipidosmilia gen. n. (fam. Rhipidogyridae) p. 197, type sp. (by original designation) moravica sp. n. p. 197 fig. Jurassic Czechoslovakia, Geyer Paläont. Z. 29 3-4 1955.

†Rhizangia brevissima p. 393 fig., Chevalier (1).

†Rhizophyllum pp. 44, 76, uralicum p. 77 fig., enorme, gervillei p. 77, [Sosh-kina (1)].

†Rhodophyllum sugiyamai p. 227 fig., yokoyamai p. 228 fig., spp. n. Carboniferous Japan, Minato J. Sigenk. Kenk. 1 2 1943.—R. yokoyamai p. 101 fig., sugiyamai p. 101 fig., Minato (1).

Sagartia luciae the type sp. of Haliplanella p. 211, Hand (2).—S. rhododactylos p. 80 fig., Pax & Müller.—S. troglodytes, rhododactylus p. 121, Pax & Müller (1).

Sagartiid species p. 103, Carlgren. †Scalariogyra escharoides p. 47, Os-BERGER (1).

†Schizophyllum a synonym of Stringophyllum (q.v.) pp: 48, 94, [Soshkina (1)].

†Schizosmilia excelsa p. 191, koniakensis p. 191, Geyer. †Schlüteria emsti p. 224 fig., striata sp. n. p. 224 fig. Devonian W. Siberia, [Ivania] Atlas of the leading forms of the fossil fauna and flora of Western Siberia 1 1955.—S. p. 92, kostetskae p. 92 fig., fascicularis p. 94 fig., [Soshkina].

—S. pp. 47, 99, verrucosa sp. n. p. 100 fig. Devonian Russian Platform, kostetskae p. 100 fig., fascicularis p. 100 fig., [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 39 1952.—S. p. 44, fascicularis p. 44 fig., kostetskae p. 45, [Soshkina (3)].

†Seriatopora ornata p. 66, Osberger (1).

†Setamainella gen. n. (fam. Clisiophyllidae) p. 229, type sp. (by original designation) hayasakai sp. n. p. 229 fig. Carboniferous Japan, Minato J. Sigenk. Kenk. 1 2 1943.—S. hayasakai p. 141 fig., Minato (1).

†Siderofungia graeciae sp. n. p. 201 fig. Oligocene Greece, Chevalier Bull. Soc. géol, Fr. 6 5 1–3 1955.

†Siphonodendron p. 232, aff. martini p. 233 fig., pseudomartini p. 235 fig., inugasirayamaensis sp. n. p. 235 fig., sp. a? sp. n. (sic) p. 236 fig., sp. b? sp. n. (sic) p. 237 fig., Carboniferous Japan, MINATO J. Sigenk. Kenk. 1 2 1943.—S. pseudomartini p. 71 fig., densitabulata p. 72 fig., martini p. 73 fig., pauciradiale p. 74 fig., inugasirayamaensis p. 76 fig., aff. hsinanense p. 76, sp. a p. 77 fig., sp. b p. 77 fig., MINATO (1).

†Sochkineophyllum [as Sochikineophyllum (sic)] s-hasimotoi sp. n. p. 67 fig. Permian Japan, Minato J. Fac. Sci. Hokkaido Univ. 49 2 1955.

†Solenastraea koberi sp. n. p. 57 fig. Younger Tertiary Java, Osberger Neues Jb. Geol. Paläont. Abh. 101 l 1955.—S. koberi p. 207 fig., Osberger.

Soljania nom. nov. for Microcyathus Döderlein non Hinde p. 75, Pax Bull. sci. Yougoslav. 2 (3) 1955.

†Solominella gen n. (fam. Neo-columnariidae) p. 225, type sp. (by original designation) soshkinae sp. n. p. 226 fig. Devonian W. Siberia, [IVANIA] Atlas of the leading forms of the fossil fauna and flora of Western Siberia 1 1955.

Sphaeranthula **gen. n.** p. 1, type sp. (by original designation) straeleni **sp. n.** p. 1 fig. W. Africa, Leloup Rés. Scient. Expéd. Océanogr. Belg. Eaux Côt. Afr. 3 4 1955.

†Spinophyllum fasciculare is a Schlüteria p. 94, [Soshkina].

†Spongophyllidae pp. 34, 47, 92, [Soshkina (1)].

†Spongophyllum originalis p. 214 fig., minimum p. 215 fig., spp. n. Devonian W. Siberia, [Kraevskaya] Atlas of the leading forms of the fossil fauna and flora of Western Siberia 1 1955 [see p. 192 for authorship of spp. n.].—S. pp. 48, 93, sedgwicki p. 93 fig., halisitoides p. 93 fig., [Soshkina (1)].

†Stenophyllum vogulicum p. 210 fig., gorskii sp. n. p. 211 fig., sibiricum p. 211 fig., devonicum p. 211 fig., salairicum p. 212 fig., soshkinae p. 212 fig., spp. n. Devonian W. Siberia, [Kraevskaya] Atlas of the leading forms of the fossil fauna and flora of Western Siberia 1 1955 [see p. 192 for authorship of spp. n.].—S. pp. 48, 93, spinulosum sp. n. p. 93 fig. Devonian Armenia, hedströmi p. 94 fig., altum p. 94 fig., uralicum p. 94 fig., [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 39 1952.

Stephanaria see Psammocora.

 $\dagger Stephanaria$ see $\dagger Psammocora$.

†Stereophrentis gen. n. (fam. Zaphrentidae) p. 300, type sp. (by original designation) Zaphrentis delanouei p. 300 Carboniferous Belgium, konincki p. 301 fig., [FOMTCHEV] Atlas of the leading forms of the fossil fauna and flora of Western Siberia 1 1955.

Stoichactis helianthus p. 122, PAX & MÜLLER (1).

Stomphia coccinea p. 121, MAC-GINITIE.

†Streptelasma cf. aequisulcatum p. 240 fig., Hill.—S. latum p. 22 fig., sibiricum p. 23 fig., viluiense p. 23 fig., S.? completum p. 23 fig., electum p. 24 fig., spp. n. Silurian Siberia, [Nikolaeva] in [Nikiforova Field Atlas Ord. and Sil. Fauna of the Siberian Platform] 1955.

†Stringophyllum a synonym of Schizophyllum pp. 48, 94, duplex p. 94 fig., tenue p. 94, normale p. 95, convolutum p. 95 fig., difficile p. 95 fig., [Soshkina (1)].

†Stylidophyllum volzi p. 293 fig., volzi? p. 295, undulatum sp. n. p. 296 fig. Permian Turkey, Flügel Neues Jb. Geol. Paläont. Abh. 101 3 1955.—S. japonicum p. 131 fig., S.? sp. ind. p. 131 fig., sikokuense nom. n. for Polythecalis japonica Yabe & Minato non Lonsdaleia japonica Yabe & Hayasaka p. 132 fig. Permian Japan, yokoyamai p. 134 fig., Minato J. Fac. Sci. Hokkaido Univ. 4 9 2 1955.

†Stylina elegans p. 251 fig., Atanasiu & Semaka.—S. decipiens p. 182, anthemoides p. 183, milleporacea p. 183 fig., tubulifera p. 184, strambergensis sp. n. p. 184 fig. Jurassic Czechoslovakia, Geyer Paläont. Z. 29 3-4 1955.—S. p. 322, girodi p. 322 fig., decipiens, limbata p. 323, algarvensis sp. n. p. 323 fig. Jurassic Portugal, Geyer Senckenbergiana Lethaea 35 5-6 1955.

†Stylinidae p. 321, Geyer (1). Stylophora pistillata p. 8, Wells.

†Stylophora aff. raristella p. 197, Chevalier.—S. conferta p. 382 fig., thyrsiformis p. 383 fig., gaasensis sp. n. p. 385 fig. Oligocene France, ramulosa p. 387 fig., cf. distans p. 388 fig., Chevalier Bull. Soc. Hist. nat. Toulouse 90 3-4 1955.—S. pistillata pp. 59, 65, sokkoensis p. 66, Osberger (1).—S. pistillata p. 8, Wells.—S. raristella p. 115 fig., sp. p. 115, Zbyszewski.

† ? Stylophyllum sp. p. 227, [Moiseev]. †Sugiyamaella carbonarium p. 150 fig., Minato (1).

†Synastraea [as Synastrea (sic)] pseudarachnoides p. 207, confluens p. 207 fig., cristata p. 207 fig., Geyer.

† Tabellaephyllum p. 111, rosiformis sp. n. p. 111 fig. Devonian Urals, [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 34 1951.—T. pp. 46, 105, mosquense p. 105 fig., livnense p. 106 fig., spp. n. Devonian Russian Platform, rosiforme p. 106 fig., [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 39 1952.—T. p. 58, livnense p. 59 fig., mosquense p. 61 fig., [Soshkina (3)].

† Tabulophyllum p. 34, normale p. 35 fig., longiseptatum sp. n. p. 38 fig. Devonian Timan, gorskyi sp. n. p. 39 fig. Devonian Timan, weberi p. 41 fig., macconnelli p. 43 fig., [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 34 1951.—T. pp. 44, 69,

weberi p. 70 fig., delicatum sp. n. p. 70 fig. Devonian Russian Platform, pseudosociale sp. n. p. 71 fig. Devonian Russian Platform, grandivesiculosum sp. n. p. 71 fig. Devonian Armenia, normale p. 71 fig., longiseptatum sp. n. p. 71 fig. Devonian Timan and Kutzbassa, gorskyi sp. n. p. 72 fig. Devonian Timan and Kutzbassa, heckeri sp. n. p. 72 fig. Devonian Russian Platform and Timan, [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 391952.—
T. p. 48, verrucosum p. 49 fig., heckeri sp. n. p. 51 fig. Devonian Russian Platform, pseudosociale p. 54 fig., delicatum p. 57 fig., [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 52 1954.

† Taisyakuphyllum gen. n. (fam. Amygdalophyllidae) p. 143, type sp. (by original designation) rostfer sp. n. p. 143 fig. Carboniferous Japan, Minato J. Fac. Sci. Hokkaido Univ. 492 1955.

† Tarbellastraea edwardsi nom. nov. (for Phyllocoenia archiaci Milne-Edwards non Abich) p. 390 fig. Oligocene France, ovalis p. 392 fig., Chevalier Bull. Soc. Hist. nat. Toulouse 90 3–4 1955.

Tealia p. 68, tuberculata p. 71, crassicornis p. 72 fig., coriacea p. 76 fig., lofotensis p. 80 fig., HAND (1).—T. felina p. 118, PAX & MÜLLER (1).

† Temnophyllum p. 65, waltheri p. 66, difficile sp. n. p. 66 fig. Devonian Urals, [SOSHKINA] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 34 1951.

† Thamnasteria dendroidea p. 201 fig., GEYER.—T. moreana p. 334 fig., GEYER (1).—T. sp. p. 181, KOLOSVÁRY (1).

†Thamnophyllidae discussed p. 73, [SOSHKINA].—T. pp. 31, 42, 83, [SOSHKINA (1)].

† Thannophyllum trigemme p. 218 fig., [Kraevskaya].—T. p. 74, uniense sp. n. p. 75 fig. Devonian Urals, virgatum sp. n. p. 76 fig. Devonian Urals and Timan, monozonatum p. 78 fig., [Sosh-Kina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 34 1951.—T. pp. 42, 85, uniense p. 85 fig., trigemme p. 85 fig., monozonatum p. 85 fig., virgatum p. 85 fig., stramineum p. 85 fig., [Soshkina (1)].—T. murchisoni p. 83 fig., stachei

p. 85 fig., trigemme p. 85 fig., virgatum p. 87 fig., [Soshkina (2)].—T. p. 65, trigemme p. 65 fig., petinense **sp. n.** p. 66 fig. Devonian Russian Platform, [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. **52** 1954.—T. see also Macgeea.

† Thamnoseris fromenteli p. 334, Geyer (1).

† Thecocyathus mactra p. 14, Guérin.

† Thecosmilia magna p. 199, GEYER.— T. trichotoma p. 330, GEYER (1).— T. caespitosa var. ussuriensis var. n. p. 227 fig., angaraensis sp. n. p. 229 fig., Trias Primorsk Land, Russia, [Moiseev] Trud. Leningr. Soc. Nat. 68 2 1951.

†Thecosmiliacea p. 230 fig., [Mois-EEV].

Thenaria tribe of the Nynantheae p. 37, Hand (1).

† Thysanophyllum p. 84, longiseptatum the type sp. of Pseudodorlodotia p. 86, pseudovermiculare a sp. of Pseudodorlodotia p. 86, aseptatum p. 87 fig., MINATO (1).

† Timorphyllum p. 151, wanneri var. wanneri p. 153 fig., var. variabile p. 156 fig., var. complicatum p. 157 fig., breviseptatum sp. n. Permian Timor, Schouppé & Stacul Palaeontographica Suppl. 4 5 3 1955.

†Trachypsammia see Alcyonaria.

† Trapezophyllum p. 107, dicasticum **sp. n.** p. 107 fig. Devonian Germany, GLINSKI Senckenbergiana Lethaea **36** 1–2 1955.

†Trochocyathus p. 104, conulus p. 105, desioi sp. n. pp. 105, 106 fig. Cretaceous Libya, cf. epicharis pp. 105, 108, aff. harveyanus pp. 105, 109, libycus sp. n. pp. 105, 110 fig. Cretaceous Libya, sp. ind. pp. 105, 112, Ronchetti Riv. ital. Paleont. Strat. 61 3 1955.—T. calcitrapa a sp. of Caryophyllia p. 246, RÓŻKOWSKA.

† Trochosmilia subcurvata a sp. of Pattalophyllia p. 398 fig., Chevalier (1).

†Tryplasma cerioides sp. n. p. 240 fig. Ordovician Tasmania, HILL Proc. roy. Soc. Tasmania 89 1955.—T. p. 206, devoniana p. 207 fig., altaica p. 207 fig., hercynica p. 208 fig., [Kraevskaya].—T. pp. 44, 74, devoniana p. 75 fig., hercynica p. 75 fig., [Soshkina (1)].

Turbinaria crater, danae, peltata p. 16, Wells.

† Turbinaria crater, danae, peltata p. 16, Wells.

†*Uralophyllum* pp. 43, 80, *unicum* p. 81 fig., [Soshkina (1)].

†Verbeekiella japonicum p. 126 fig., MINATO (1).—V. p. 141, australis p. 143 fig., gerthi sp. n. p. 147 fig. Permian Timor, arboricalis sp. n. p. 150 fig. Permian Timor, Schouppé & Stacul Palaeontographica Suppl. 4 5 3 1955.

†Verbeekiellidae **fam. п.** р. 141, Schouppé & Stacul Palaeontographica Suppl. 4 5 3 1955.

†Waagenophyllum cinctum p. 298 fig., tabellatum p. 299 fig., cf. tabellatum p. 299 fig., persicum p. 300 fig., Flügel (3).—W. indicum p. 102 fig., var. usuginuensis var. n. p. 103 fig., akasakensis p. 104 fig., polyseptata sp. n. p. 105 fig., akagoensis p. 107 fig., Permian Japan, Minato J. Fac. Sci. Hokkaido Univ. 49 2 1955.

†Wannerophyllum gen. n. p. 159, type sp. (by original designation) Carcinophyllum cristatum pp. 159, 162 fig., tubulosum p. 167 fig., elongatum sp. n. p. 171 fig., minus sp. n. p. 173 fig., timoricum sp. n. p. 174 fig., excedens sp. n. p. 176 fig., Permian Timor, Schouppé & Stacul Palaeontographica Suppl. 4 5 3 1955.

†Wentzelella subtimorica p. 301 fig., persica p. 304 fig., anatolica sp. n. p. 305 fig. Permian Anatolia, sp. p. 307, Flügel Neues Jb. Geol. Paläont. Abh. 101 3 1955.—W. sekii sp. n. p. 108 fig., ozawai nom. n. for frechi Ozawa non Volz p. 110 fig., Permian Japan, iwaizakiensis p. 110 fig., kitakamiensis p. 111 fig., subtimorica p. 113 fig., Minato J. Fac. Sci. Hokkaido Univ. 4 9 2 1955.

†Wentzelloides discussed p. 113, maiyaensis [as maiyaeensis (sic)] p. 114 fig., MINATO (1).

†Xenocyathellus p. 15, thedfordensis p. 15 fig., Jeffords.

† Yatsengia asiatica p. 310 fig., asiatica? p. 311 fig., Flügel (3).—Y. kiangsuensis var. mabutii var. n. p. 117 fig., ibukiensis sp. n. p. 118 fig., kabayamensis sp. n. p. 120 fig., Permian Japan, Minato J. Fac. Sci. Hokkaido Univ. 49 2 1955. †Yuanophyllum yabei p. 142 fig., MINATO (1).

Zaolutus gen. n. (fam. Isanthidae) p. 88, type sp. (by monotypy) actius p. 89 fig. Central California, HAND Wasmann J. Biol. 13 1 1955.

†Zaphrentis delanouei p. 300 and konincki p. 301 are spp. of Stereophrentis (q.v.), [FOMITCHEV].

† Zelophyllia gen. n. (fam. Kodonophyllidae) pp. 45, 74, type sp. (by monotypy) tabulata sp. n. p. 74 fig. Devonian Urals, Armenia and Carnic Alps, [Soshkina] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 39 1952.

† Zelophyllum högklintyi p. 83 fig., [Soshkina (2)].

Zoantha see Alcyonaria.

Zoanthus calypso, epistreptus p. 118, PAX & MÜLLER (1). †Zonophyllum pp. 43, 77, centrale, duplicatum p. 78, parvum p. 78 fig., [Soshkina (I)].

CTENOPHORA

Beroë cucumis p. 123, MACGINITIE.

Bolinopsis infundibulum p. 123, MACGINITIE.

Coeloplana sophiae p. 76, DAWYDOFF. Mertensia ovum p. 123, MACGINITIE.

INCERTAE SEDIS

†Khmeria see Zoantharia.

Rhabdochitina? cf. minnesotensis p. 850 fig., Whittington.